



Dive Rescue International Equipment Catalog



Serving Public Safety Professionals





Dive Rescue International History

Founded in 1977 by a few dedicated law enforcement officials, we have remained exclusively committed to the original intent of providing training and equipment for all public safety professionals involved in aquatic incidents. We have witnessed a tremendous growth in the water rescue industry largely due to greater community involvement demanding better preparedness for aquatic emergencies. We began with only a few general programs and are now able to provide over 30 diverse and specialized programs. Our greatest asset is our extensive network of public safety professionals; some have been with us since the company's inception. We can call on their expertise to develop programs or provide consultation on a virtually unlimited number of topics. Since the beginning we have been based in Fort Collins, Colorado and now have over 3,000 instructors throughout North America and the world. Visit our website at www.diverescueintl.com/home/corporate-trainers/ for information on each of our Corporate Trainers.

Mission Statement

Dive Rescue International will strive to provide the most current and professional water rescue education, technical support and high quality water rescue equipment to the public safety industry. Education is a dynamic process requiring continuous re-evaluation through field-testing and input from agencies or individuals facilitating a positive impact on water rescue technology. Dive Rescue International will make its educational systems, technical assistance and equipment available to all public safety professionals who respond to water-related operations. In keeping with these goals, Dive Rescue International will constantly endeavor to improve its capabilities to serve the public safety sector through its international network of professional resources.

Contents

Bags_____	1
Dive Suits & Undergarments_____	3
Dive Suit Accessories_____	9
Electronics_____	11
Flotation Products (PFDs)_____	13
Ice Rescue Equipment_____	18
Inflatable Boats & Litters_____	20
Knives_____	21
Lifting and Salvage_____	22
Lighting_____	24
Masks, Helmets and Accessories_____	26
Public Safety Diving Supplies_____	31
Publications_____	33
Rope Rescue_____	36
Rope Rescue Hardware_____	37
Surface Supplied Air_____	45
Swiftwater Rescue_____	46
Team Wear_____	50
Underwater Communications_____	51
Training Programs _____	55



Dive Rescue International, Inc.
201 North Link Lane
Fort Collins, CO 80524
(800) 248-3483
www.DiveRescueIntl.com



Gray Float

6083B

- Replacement float for all throw-line bags
- Dimensions .5" x 3" x 5.75



DRI Barrel Bag

6085

- Capacity: 300 ft of 5/8" rescue rope
- Constructed of vinyl-coated nylon and nylon mesh
- Nylon thread. Mesh sections allow wet ropes to dry
- Nylon storm collar and draw string cords at top of bag
- Carrying handle/shoulder strap
- Also used as a replacement bag for the Body Recovery System (#6090)
- Dimensions: 18" x 41"



DRI Communication Rope Bag

6806, 6806T, 6807

- Nylon mesh construction
- Small size holds 200 ft of 8mm 4-wire communication rope (all blue, top and bottom)
- Regular size holds 200 ft of 10mm 4-wire communication rope (orange top with blue body and blue bottom)
- Tall size holds up to 300 ft of 10mm 4-wire communication rope (all blue, top and bottom)
- Tall size includes adjustable backpack straps
- Draw cord top with shoulder strap
- 6806 - Regular
- 6806T - Tall
- 6807 - Small

DRI Stuffed Throwline Bag

6083, 6093, 6655

- Bag is constructed of durable nylon-coated mesh which allows water to escape and the rope to dry in the bag
- Each bag contains a gray foam float (#6083B)
- Replacement bags (#6083A) and (#6655A)
- 6083A - Replacement Bag for #6093, #6083
- 6655A - Replacement Bag for #6655

Bag Options		
Part #	Qty	Rope
6083	100' of 10mm	braided polypropylene
6093	75' of 7mm	water rescue rope
6655	75' of 10mm	braided polypropylene



DRI Double Ended Rope Bags

6086, 6089, 6091

- Constructed of vinyl-coated nylon and nylon mesh
- Nylon thread
- Mesh sections allow wet ropes to dry in the bag
- Nylon storm collar and draw cords at both ends
- Carrying handle/hardware attachment strap

Key Features		
Part #	Size	Capacity
6089	Small (17" x 11")	Holds up to 150' of 3/8" rescue rope
6091	Medium (22" x 13")	Holds up to 250' of 3/8" rescue rope
6086	Large (25" x 17")	Holds up to 300' of 1/2" rescue rope



DRI Heavy Duty Mesh Equipment Bag

6094

- Constructed of 11 oz Cordura® nylon
- Heavy duty mesh sides and mesh bottom allow equipment to dry
- Two internal pockets
- Zipper around top of bag
- Dimensions: 30" x 16" x 14"



DRI Large Equipment Bag

6087

- Constructed of 11 oz Cordura® nylon
- Two internal pockets
- Zipper around top of bag
- Dimensions: 30" x 16" x 14"



DRI Umbilical Storage Bag

6349

- Stores up to 200 feet of 3-member umbilical
- Tender can feed the umbilical directly from the bag
- Constructed of 11 oz Cordura® nylon and heavy duty nylon mesh
- Handles at both ends and around the circumference of the bag
- Umbilical NOT included (Item #6347)



DRI Searchline Bag

6082A

- Includes 200' of 1/4" braided polypropylene rope
- Floating searchline with minimal in-water drag
- Vinyl-coated nylon mesh bag allows rope to dry in bag
- Draw string closure with toggle
- 6082 - Replacement bag



DRI Swiftwater Rescue Board Bag

6095

- Holds up to 5 boards
- Constructed of 11 oz Cordura® nylon and mesh
- Zipper around top of bag
- Boards NOT included (#6080)



PMI Rope Bag

- 6358, 6360, 8125
- Double sewn seams
- 1000 denier heavy coated Cordura®
- Drawstring closure
- 1" tubular handles with rope insert
- 5/8" grommet on the side of bag
- Colors: Black, Blue, Orange, Red



Key Features					
Part #	Size	Dimensions		Weight	
6358	Small	10.5" x 14.5"		9.0 oz	
6360	Standard	10.5" x 21.5"		10.9 oz	
8125	Large	10.5" x 25"		11.3 oz	
Capacity					
Part #	Size	10 MM	11 MM	12.5 MM	16 MM
6358	Small	262.4'	229.6'	150.88'	98.4'
6360	Standard	393.6'	328'	246'	200'
8125	Large	524.8'	393.6'	301.76'	246'



DRI Body Recovery System

- 6090
- Allows underwater packing of victim and related evidence
- Self-draining and durable
- Equipped with a built-in lift system containing a 50 lb lift bag and bridle
- Includes storage bag
- **Replacement parts:**
Replacement Lift Bridle (#6090C)
Replacement Body Bag (#6090A)
Replacement Storage Bag (#6085)
Replacement 50lb lift bag (#6175)



PMI Rope Pack

- 8127, 8129
- Identical to the PMI Rope Bag with the addition of comfortable 2" wide webbing straps
- Colors: Black, Blue, Orange, Red



Key Features					
Part #	Size	Dimensions		Weight	
8127	Large	10.5" x 25"		1.19 lbs	
8129	X Large	16" x 23"		1.22 lbs	
Capacity					
Part #	Size	10 MM	11 MM	12.5 MM	16 MM
8127	Large	524.8'	393.6'	301.76'	246'
8129	X Large	820'	656'	557.60'	459.2'



Evidence / Document Bags

- 6372, 6373, 6374, 6375
- Ideal for document protection
- Closing rail system also used to close underwater housing on television cameras
- Easy opening and closing
- Lanyard provides easy carrying and storage
- Tested up to 100 m/300 ft (professional clients have reported depths of up to 300 m/1,000 ft)

Part #	Dimensions
6372	6" x 9"
6373	9" x 12"
6374	12" x 17"
6375	15" x 20"



Radio Bag

- 6764, 6765
- Absolutely water and sand proof
- Hearing and speaking are unhindered
- Adjustments can be made from outside the pouch using the built-in finger-glove
- Radio in bag will float in water
- Closing system: screw rail
- Dive depth: 246 ft (75 m)

Part #	Dimensions
6764	16.9" x 3.1"
6765	14.9" x 2.9"

OTS Mask Bag

- 6220
- Designed to help keep masks in the right drying position
- Keeps water from pooling in the 2nd stage regulator
- Vents provide good ventilation helping to stop mildew
- Drain holes let water drain away from the mask
- Lots of storage pockets as well - one is a dry storage compartment
- Carrying handle as well as a shoulder strap



All Whites suits are available in Made to Order (MTO) custom sizes



Whites HazMat PSD Dry Suit

7100, 7100SLT

- Chemical resistant polyurethane inside and out
- Interior and exterior tape welded seams
- Tear and puncture resistant nylon core
- Comfort boots with 7 mm neoprene liner
- Permanently attached dry glove rings with replaceable Polytex wrist seals
- Contaminated water dual exhaust valve & standard inlet inflation valve
- Attached Polytex hood and neck seal
- Easy to clean and decontaminate inside and out
- Includes hood liner, internal suspenders, inflator hose, 2 hazmat patches, 4 adhesive strips and a dry suit bag
- Size: XS - 4XL Made to Order (MTO)
- With SLT neck/hood combo (#7100SLT)

Whites Kodiak 360 SAR

7101, 7101S (Swiftwater)

- Patented Captive Suspension Panel around waist and knees for flexibility
- Tough Quadflex nylon
- 2 pocket Matrix Base Plates & 1 Compak Pocket
- Polytex neck seal and bell shaped wrist seals
- Air control knee pads
- Reflective armband included (Please specify "S.A.R." or "RESCUE")
- Supplied with Multi-Laminate Shell Socks that match perfectly with Evo 3 boots (boots not included)
- Includes internal suspenders, inflator hose, and dry suit bag
- Whites permanent wrist ring system optional (#7132)
- Whites EVO3 boots optional (#7118)
- Size: S - 3XL Made to Order (MTO)

Whites Enviro Dry Suit

7102, 7102SLT

- Chemical resistant polyurethane outer surface
- Sewn and exterior tape welded seams
- Tear and puncture resistant nylon
- Comfort boots with 7 mm neoprene liner
- Permanently attached dry glove rings with replaceable Polytex wrist seals
- Standard exhaust valve & standard inlet inflation valve
- Attached Polytex hood and neck seal
- Includes hood liner, internal suspenders, inflator hose, 2 hazmat patches, 4 adhesive strips and a dry suit bag
- Size: XS - 4XL Made to Order (MTO)
- With SLT neck/hood combo (#7102SLT)

Whites Fusion SAR Dry Suit

7103, 7103S (Surface)

- Patented Fusion DryCore Technology
- Oversized drycore with external SAR designed skin
- Exterior skin is made of 1 mm super stretch neoprene and reinforced in high wear areas
- Reflective piping around zipper as well as reflective band around wrists
- Removable 2 mm neoprene inserts for the elbows and knees for additional durability and cushioning
- Supplied with Multi-Laminate Shell Socks that match perfectly with Fusion boots or Evo 3 boot (boots not included)
- Unmatched flexibility & streamlined design
- Pockets Available
- S.A.R. Graphics included
- Includes internal suspenders, inflator hose, and dry suit bag
- Surface version does not have valves
- Law Enforcement version is all black with no reflective piping for military and Law Enforcement (L.E.) applications
- Whites permanent wrist ring system optional (#7132)
- Size: 2XS/XS, SM/MED, LG/XL, 2XL-3XL, 4XL+



For a complete catalog of Whites products please visit www.Whitesdiving.com



Whites Enviro Hybrid Dry suit

7099, 7099SLT

- HazMat Multi-Laminate bottom for superior puncture and abrasion resistance
- Enviro Bi-Laminate Top for superior mobility and flexibility
- Chemical resistant polyurethane outer surface
- Exterior tape welded seams
- Tear and puncture resistant nylon inner
- Comfort boots with 7mm liner
- Permanently attached dry glove rings with replaceable Polytex wrist seals
- Standard exhaust valve & standard inlet inflation valve
- Attached Polytex hood and neck seal
- Includes hood liner, internal suspenders, inflator hose, patches, adhesive strips and a dry suit bag
- Size: XS - 4XL Made to Order (MTO)
- With SLT neck/hood combo (#7099SLT)

See page 54 for dry suit parts and accessories



Whites MK 2 Glacier John Undergarment

- 7110**
- Complement this system with Whites MK1 or MK0 one piece thermal layers for colder conditions
 - Removable sleeves
 - 2 zippered vertical chest pockets
 - 2 large fleece-lined hand warming pockets
 - Thumb loops
 - 2-way zippered rear convenience panel
 - 2-way torso/convenience zipper
 - 1 mm Lycra®/neoprene 2-way stretch expansion panels at waist and above knees for optimal mobility
 - Non-corroding YKK zippers
 - Non-magnetic construction
 - Breathable, moisture-wicking, high loft, insulating polypropylene Polar Fleece Lining
 - StormProof 70 denier micro-ripstop water resistant Taslon nylon
 - Lycra® stirrups keep garment in place
 - Size: XS - 3XL



Whites MK 0 Glacier Undergarment

- 7104**
- Breathable, moisture-wicking, bamboo blend
 - Additional Spandex content results in extreme stretch; no need for king sizes
 - Smooth Lycra stirrups & elastic thumb loops
 - Rear convenience flap
 - 2-way torso/relief zipper
 - Non-corroding YKK zippers
 - Designed as a wicking base layer or a primary layer in warm tropical waters (80°F waters)
 - Size: XS - 2XL

Whites MK 2 Glacier Jacket

- 7108**
- Complement this system with Whites MK1 or MK0 one piece thermal layers for colder conditions
 - Removable sleeves
 - 2 zippered vertical chest pockets
 - 2 large fleece-lined hand warming pockets
 - Thumb loops
 - StormShield face guard with fleece liner
 - Zip-off Storm Hood with adjustable ladder locks and stretch cords
 - Lycra® internal hood flap with cinch-tight adjustable face seal
 - Non-corroding YKK zippers
 - Non-magnetic construction
 - Breathable, moisture-wicking, high loft, insulating polypropylene Polar Fleece Lining
 - StormProof 70 denier micro-ripstop water resistant Taslon nylon
 - Size: XS - 3XL



Whites Thermal Fusion

- 7119**
- Integrated pockets.
 - Easy access comfort zip with P-Valve compatibility
 - Compression Skin encapsulates the inner Thermal Core, delivering extreme mobility and superior warmth
 - Whites ATS (Air Transfer System) facilitates the effective transport of air throughout the Thermal Fusion allowing effortless dry suit venting
 - Strategically placed 3D Hi-Flo Mesh Panels located at the inflate and exhaust valve locations increases airflow, padding and insulation
 - Thermal performance independently lab tested by Sport Innovation Center (SPIN)
 - Thumb loops for easy donning
 - Stirrups keep garment in place when donning
 - Polartec 200 fleece core with an outer power stretch compression skin
 - Non-corroding YKK zippers throughout
 - 3D Hi-Flo Mesh Panels
 - Size: 2XS - 4XL+

Whites MK 1 Glacier Undergarment

- 7106**
- Additional Spandex content results in extreme stretch; no need for king sizes
 - Smooth lycra stirrups
 - Elastic thumb Loops
 - Rear convenience flap
 - 2-way torso/relief zipper
 - Seamless gusseted crotch
 - Non-chafing flat-lock stitch seams
 - Non-magnetic construction throughout
 - Non-corroding YKK zippers
 - Size: XS - 2XL



Whites EVO 3 Boots

- 7118**
- Heavy duty dual layered sole with multi-directional traction lugs
 - Reinforced padded ankle support
 - Drainage ports
 - Heel pull tab
 - Reinforced toe and heel
 - Use over installed dry suit sock
 - Size: 6-14



Whites MK 3 Glacier Thermal Socks

- 7116**
- Tri-layered system: outer nylon with heel stretch panels, Primaloft®, and inner fleece
 - Breathable, moisture-wicking, high loft, insulating polypropylene Polar Fleece inner lining
 - StormProof 70 denier micro-ripstop water-resistant Taslon outer nylon facing
 - Complement this with Whites MK 2 undergarments or layer with MK 1 undergarments for colder conditions
 - Sock can be worn alone or with a very light moisture wicking sock to minimize laundering



DUI CXO Select HazMat Suit

6854

- Polyurethane shoulder-entry zipper
- Suspenders
- Reinforced pads at the knees, waist and shoulders
- Contaminated water valves; Inlet/Fluorosilicone o-rings, exhaust/double exhaust diaphragm with a check valve made with fluorosilicone
- ZipSeal System
- RockBoot System with attached socks
- Dry suit bag, ZipStick and talc included
- Constructed of polyurethane Laminated Fabric
- Colors: Red/Black or all Black
- Select your neck, wrist and hood seals including patented Zipseals™ with silicone or latex, attached latex, neoprene, or any combination
- Size: SS - XXLT

See page 54 for dry suit parts and accessories

DUI CF200X Select Dry suit

6852

- Diagonal front-entry zipper
- Telescoping torso, suspenders, crotch strap
- Warm neck collar
- Zipper guard
- Apeks swivel inlet & adjustable, automatic exhaust valves
- RockBoot™ System or Turbo Sole Boots with Ankle Straps
- CF200™ knee pads
- Constructed of patented crushed neoprene
- Includes DUI dry suit bag, talc and zipper ease
- Colors: Black body with your choice of upper-body Tough Duck™ overlay
- Select your neck and wrist seals including patented Zipseals™ with silicone or latex, attached latex, neoprene, or any combination
- Size: SS - XXT

DUI TLS350 Select PS Dry suit

6850

- Diagonal front-entry zipper
- Patented QuickZip™ design
- Also available with Classic Zipper Design (only CLX-style upper body design available with Classic Zipper Design)
- Telescoping torso, suspenders, crotch strap
- Warm neck collar
- Reflective tape
- High visibility overlays
- Public safety patch
- Zipper guard
- Apeks swivel inlet & adjustable, automatic exhaust valves
- Internal waist adjustment cord
- Double layer material over knee area
- RockBoot™ System or Turbo Sole Boots with Ankle Straps
- Constructed of Trilaminate material made of Nylon/Butyl Rubber/Nylon
- Includes a DUI dry suit bag, talc and zipper ease
- Colors: Navy or black body with your choice of overlay materials and colors
- Select your neck and wrist seals including patented Zipseals™ with silicone or latex, attached latex, neoprene, or any combination
- Men's Size: SS - XXT
- Women's Size: SS - XXT



DUI Xm250™ Insulation Jumpsuit

6894

- Thinsulate Insulate 200BZ retains 70% of its original warmth fully soaked
- Polartec® PowerStretch panels at armpits, mid-back, around the waist, knees, down the sides of the legs and at the wrists provide maximum mobility
- Wind and spray resistant outer shell with high-tenacity technical ripstop
- Fleece lining with AEGIS Microbe Shield®
- 2 zippered hand-warmer pockets
- Zippered chest pocket
- Thumb and ankle stirrups
- Includes DUI DiveWear Tote Bag
- Temperature Rating: 50°-65°F
- Sizing Unisex

For a complete catalog of DUI products please visit www.dui-online.com



DUI XM450™ Jumpsuit

6890

- Highest quality materials available combined to provide maximum warmth, mobility and comfort
- Thinsulate™ BZ for maximum warmth with the least bulk
- Polartec® PowerStretch® panels in arms, waist and legs for maximum stretch and warmth
- Wind-and-spray resistant outer shell with high tenacity technical ripstop
- Fleece lining for warmth and comfort
- AEGIS Microbe Shield® - Antimicrobial liner
- Two zippered hip pockets
- Zippered chest pocket
- Stand-up collar for extra warmth
- Stirrups and thumb loops
- Temperature rating 28°-45°
- Material: Quilted Thinsulate™ (400 gm/m2) Type BZ Polartec® PowerStretch® (560 gm/m2)
- Includes DUI DiveWear Tote Bag
- Colors: Black with embroidered logo



DUI PowerStretch® Pro Socks

6872

- All-way stretch (polyester/lycra blend)
- Maximum stretch/ low bulk
- Temperature rating: 45°-60°
- Polartec® PowerStretch® (560 gm/m2)
- Colors: Chalkboard



DUI ActionWear™ Jumpsuit 150

6876

- Hand warmer side pocket
- Temperature rating 65° plus
- One-way stretch
- Polyester fleece (280 gm/m2)
- Black with embroidered logo



DUI ActionWear™ Vest 300

6874

- Adds approximately 5° F of thermal protection to any divewear
- Hand warmer pockets
- Great for layering
- One-way stretch
- Polyester fleece (560 gm/m2)
- Colors: Black

DUI Rock Boots™

6863

- Standard on all DUI dry suits
- Can be worn with any wetsuit when combined with a wet sock
- Excellent for those who walk, hike or climb to dive sites
- Sized to be worn with dry suit insulation



DUI Polartec® Powerstretch® Pro 300 Jumpsuit

6870

- All-way stretch (polyester/lycra blend)
- Maximum stretch/low bulk
- Two zippered hip pockets
- Zippered chest pocket
- Stirrups and thumb loops
- Accent piping
- Stand-up collar for added warmth
- Temperature rating: 45°-60°
- Polartec® PowerStretch® (560 gm/m2)
- Includes DUI DiveWear Tote Bag



DUI XM450™ Socks

6892

- Highest quality materials available combined to provide maximum warmth, mobility and comfort
- Wind-and-spray resistant outer shell with high tenacity technical ripstop
- Fleece lining for warmth and comfort
- AEGIS Microbe Shield® - Antimicrobial liner
- Polartec® top for fit and less bulk around ankles
- Cordura bottom for durability
- Temperature rating 28°-45°
- Material: Quilted Thinsulate™ (400 gm/m2) Type BZ Polartec® PowerStretch®
- Colors: Black with embroidered logo



Viking HD Surveyor Dry Suit

- 6389**
- Heavy duty material to withstand the harshest environments
 - Internal stitched and taped seams
 - External vulcanized seams for security
 - Easy to clean when diving in contaminated water
 - Easy to repair, minimizing downtime

Viking Pro 1000

- 6383, 6385, 6390**
- Internal stitched and taped seams
 - External vulcanized seams
 - Easy to clean exterior when contaminated
 - Easy to repair in the field to minimize downtime
 - Flexible and comfortable
 - **6383** Magnum Stretch Hood
 - **6385** Surveyor Hood
 - **6390** Turbo Hood

Viking HDS 1000

- 6784, 6786**
- Seams internal stitched and taped for security
 - External seams vulcanized for peace of mind
 - Highly resistant to aggressive chemicals including hydrocarbons
 - 5 times more abrasion resistant than PRO material
 - Easy to clean and repair
 - **6784** Surveyor Hood
 - **6786** Magnum Stretch Hood



Viking HDS HazTech

- 6789, 6791**
- Lightweight robust material 483 g/m2
 - High frequency welded seams for maximum strength and safety
 - Ideal for warm water / warm climate diving
 - Tested for flex cracking after > 200 flexes down to -40° C
 - Suitable for cold water diving
 - Easy clean exterior surface
 - Suitable for contaminated water diving operations
 - **6789** Surveyor Hood
 - **6791** HDS Magnum Stretch Hood



Viking XTREME

- 6393**
- Strong lightweight material
 - High frequency welded seams for security
 - Easy clean smooth exterior
 - Reinforced knees
 - **6393RE** - Rear Entry
 - **6393** - Front Entry
 - Colors: Black, Blue/Black

Viking 3-Piece Arctic

- 6794**
- Dual layer of high insulation, low bulk fabric ensures exceptional levels of thermal protection
 - Constructed with comfort and utility in mind
 - Provides outstanding performance under all dry suits
 - Removable crotch strap to ensure garments remain in place
 - Includes socks and mesh bag
 - Comfortable in water down to around 40° F



Viking 3-Piece Base

- 6795**
- Fabric traps a very thin layer of air - keeping the wearer drier and more comfortable
 - Designed to be worn under another undersuit or on its own under a neoprene dry suit
 - Includes top, leggings and socks

See page 54 for dry suit parts and accessories

For a complete catalog of Viking products please visit www.protective.ansell.com



Whites Hood Liner

7130

- Provides thermal protection to the hood while wearing an attached polytex hood
- 18 oz polypropylene fleece
- Comfortable for cool water
- Velcro attachment for easy removal and replacement



DUI Polartec® PowerStretch Pro300 Hood Liner

6871

- One size and snug fitting
- Chin strap worn with latex hood
- Polartec® PowerStretch® (560 gm /m2)



Viking Open Cell Hood Liner

1089

- Worn under a latex dry suit hood for thermal insulation
- Nylon shell and Velcro chin strap



Mustang Sentinel™ Series Dry Suit Liner

8069

- Wind and abrasion resistant Polartec® Powerstretch® 4-way stretch with durable and smooth outer layer
- Soft liner pulls moisture away from skin
- Compatible with Sentinel™ Series of lightweight and heavy duty dry suits
- Full-length fitted legs and sleeves with stretch panels
- Provides warmth while being lightweight, highly breathable, quick drying and durable
- Vertical front entry zipper with dual sliders for quick donning and relief
- Fitting straps at the thumbs and ankles
- Machine washable



Whites Dry Gloves

7124, 7126

- Fully lined
- Polytex seal is sewn and welded in place
- Heavy duty and UV-resistant polytex seal keeps water out
- Abrasion-resistant fingers and palm protect the hand
- Inner glove liner provides exceptional warmth with increased dexterity
- Glove without the seal is for use with the permanently attached glove ring system
- 7124 with Polytex Seal (shown)
- 7126 w/o Polytex Seal
- Size: M - XL



Whites EZ-On Dry Gloves

7128

- Can be used with glove rings or simply stretch over wrist rings for a quick dry system
- 40ml glove is thicker than traditional rubber gloves
- Black exterior with orange interior
- 14" length is longer than traditional rubber gloves
- Textured palm
- Does not include liners (#7129)
- Size: S - XL



DUI Replacement ZipGloves™-WD

6860

- Exchange your wrist zipseal with these for the warmest and driest hands you've ever had
- Water dam mitigates water intrusion
- Includes liners
- Available in two versions
- Maximum Dexterity (orange)
Size: S, M, L, XL
- Heavy-Duty (black)
Size: M, L, XL



Viking 5-Finger Gloves

6386

- Constructed of heavy latex
- Includes liners
- Size: 10/Med, 11/Large



Viking Good Grip Gloves

6796, 6797

- Includes liner
- 6796 Wrist Seal:
M - XL
- 6797 Cuff Ring:
M - XL (shown)



DRI Quick Release Work & Weight System

6775

- Ideal for surface-supplied air, current and technical diving operations
- Provides two umbilical mounting points
- Holds up to 40 lbs of dive weight
- Fully adjustable for all body sizes with integrated chest harness
- Quick ditch weight pockets can be reinstalled without removing the harness
- Detachable manifold block mounting strap included
- Complete illustrated instructions, training outline and training record



Durward Ankle Weights™

6391, 6392

- Reduces leg and fin buoyancy minimizing back stress for a safer, more comfortable dive
- Delrin™ buckles securely fasten weights and can be easily released with one hand
- Includes storage bag
- Color: Black
- Size: Regular (3.3 lbs per pair), Long (3.9 lbs per pair)
- Regular (#6391)
- Long (#6392)



5 lbs Soft Mesh Weights

6775W

- Larger #4 shot with less surface area
- Newly manufactured lead shot - No scrap lead used
- Hardened with antimony and graphite free
- Heavy-duty nylon mesh bags
- Quick draining and drying
- Color: Black
- Additional weight increments available



DRI Manifold Mounting Strap

6775C

- Attaches the DSI Manifold Block (#6339) to the Dive Rescue International Work-and-Weight System (#6775)
- Replacement or extra strap for Work & Weight System



DRI Harness

6775D

- Work & Weight System Harness only
- No Pockets (#6775QR)



Turtle Fins

6204

- 3XL size popular among dry suit divers because of the very large foot pocket
- Compression molded, rubber construction
- Provides exceptional speed with minimal effort
- Black rubber only
- Fits Mustang and Stearns Ice Rescue Suits
- Overall length 20.25"
- Fin Keepers (#6201) - sold as a pair
- Replacement Strap (#6204A)



DRI Quick Release Work & Weight Pockets

6775QR

- Quick ditch weight pockets with release button
- Can be reinstalled without removing harness
- Sold individually or as a pair



DRI Weight Pockets

6775A

- For use with the Dive Rescue International Work & Weight System Velcro model. (Discontinued)
- Sold individually or as a pair



Aqualung Shredder SAR Fins

6075

- For water rescue, SAR swimming, and HeloOPS.
- Compact and convenient for short distance travel
- Ultra-light materials for optimum power and thrust
- Provides exceptional maneuverability
- One size - designed to fit over large boots
- Adjustable buckles with padded heel and leash
- Overall length: 16.5in / 42cm, Blade width: 10in / 25cm
- Colors: Black, Yellow



Macaw CAF Backpack

6830


- Provides versatility in the world's first totally independent Compressed Air Foam (CAF) backpack
- More powerful than standard extinguishers, this can be used for fire suppression, exposure protection, hazardous materials cleanup as well as decontamination
- Harnesses the strength of stored air energy
- Reliable and ready for instant response
- Can multiply the five gallons of carried water into as much as 350 gallons of finished foam
- Can shoot a stream of foam up to 40 feet enabling the user to maintain a safe distance from fire, smoke, flame or heat
- Totally portable for rapid-fire response
- Fully independent of hoses or other umbilical support systems
- Comfortable for a wide range of body types
- Affordable and easily refillable
- Accessories sold separately:
 - DF 2005 Foam (5 Gal refill) (#6834)
 - Smooth Bore Nozzle (#6838)
 - Fan Spray Nozzle (#6840)
 - Mid X Nozzle (#6842)



DF200 Foam-5 Gallon Refill

6834

- EasyDECON200 is an EPA approved decontamination solution which effectively neutralizes chemical and biological agents
- Foam provides maximum contact and effectiveness for vehicles, building exteriors and the ground
- Can be sprayed directly on materials for fast, instant decontamination of small items or areas
- Environmentally benign
- Multiple delivery systems (foam, liquid, or fog) for a wide variety of operational objectives
- Shelf life of 5-6 years unmixed and 8 hours when mixed.



FAN SPRAY NOZZLE

6840

- Lays down a pattern roughly three feet wide when used at a distance of about 4 feet from the target
- Ideal for quickly covering a large surface area
- Well suited for applying decontamination agents
- Applies roughly 1/4" deep layer of decon foam with a single pass
- Excellent for mop-up and overhaul as the fan stream does not destroy vital evidence
- Average coverage per 5 gallon fill is about 40 square meters
- Foam Types: Decontamination Formulas, Class A, A-FFF, AR-FFF, A/B Foam, Hazmat agents

SMOOTH BORE NOZZLE

6838

- Designed to project a straight foam stream a distance of 35-40 ft
- Suitable for situations in which the operator wants to keep as much distance as possible from the hazard or when the area to be treated is difficult to reach
- Coverage depending on type of foam used varies from 1-5 to 1-25+
- Foam Types: Decontamination Formulas, Class A, AFFF, AR-FFF, A/B Foam, protein foam, hazmat agents

MEDIUM EXPANSION NOZZLE

6842

- Creates large bubble, aspirate foam
- Used for vapor suppression, creating wet zones where significant foam depth is required, filling an interior space to prevent vapor generation and burying hazardous material quickly for rapid decon
- Also used for fire overhaul and mop-up when there is suspicion of arson
- Only throws foam 6-10 feet, but generates large volumes of foam quickly
- Foam Types: Decontamination Formulas, Class A, ARFFF, AR-FFF, A/B foams



TOV-1 Towed Video System

8518

- Boat deployed underwater camera can be dropped or towed
- Uses the boat's propulsion to move it through the water in the tow configuration
- Camera is mounted in a housing at a downward angle giving a field of view of 50 degrees
- A video system that can be towed, dropped to look straight down, or for viewing to the side
- Large areas can be searched and videotaped without incurring time consuming check-out dives
- TOV can be connected to a video monitor or TV
- Used by treasure hunters, military, police and dive rescue groups worldwide
- System includes: 0.5 lux low light high resolution b&w camera in a corrosion-proof PVC housing with built-in leak detection system, two high intensity 100 watt lights, and a 150' deployment cable
- The underwater lights employ a unique water cooling system which allows many hours of operation without the need for bulb replacement



Pulse 8X Metal Detector

8515

- 200 foot depth rated housing and 6 foot maximum detection range (double the power and detection of the Pulse 6X)
- Used by military, law enforcement, commercial, and salvage divers worldwide
- Able to ignore minerals in the environment while maintaining high sensitivity to all metal targets
- Heavy duty construction and high sensitivity make this detector ideal for commercial applications
- If the detector is ordered with "Underwater Connector on Coil Wire" option (not included) the Pulse 8X has the ability to:
 - 1) Interchange coils giving the detector tremendous versatility and
 - 2) Deploy two coils from a boat; the operator can be topside with electronics and have a coil searching the bottom

SeaLion-2

8514

- Front and rear facing color cameras with pan & tilt
- Control box with built in 15-inch ultrabright monitor
- User friendly PS controller (wireless controller can also be used)
- Four high power thrusters make it faster than the SeaOtter-2
- Power boost switch
- 1,000 foot depth rated housing
- 250 feet of cable included with the system
- Has the ability to operate w up to 1500' of cable.
- Two 100 watt tungsten halogen bulbs on front with LED light ring on back
- Video output jack for remote monitor
- Video amplifier to adjust picture quality
- Audio amplifier to record voice with video
- Small size and lightweight make it easy for one person to deploy and operate
- 120 VAC

SeaOtter-2 ROV

8519

- Front and rear facing color cameras with pan & tilt
- Control box with built in 10.4 inch ultrabright color monitor
- User friendly PS controller (wireless controller can also be used)
- Four powerful thrusters
- 500 foot depth rated housing
- 250 feet of cable included with the system
- Two 50 watt tungsten halogen lights on front with LED light ring on back
- Video output jack for remote monitor
- Video amplifier to adjust picture quality
- Audio amplifier to record voice with video
- Small size and lightweight make it easy for one person to deploy and operate
- 120 VAC

DV-1 Dropped Video System

8517

- Versatile boat deployed underwater camera system that can be dropped or towed
- Provides a cost effective method for underwater search and inspections
- Capable of both downward and side viewing
- Can be suspended over the side of the vessel and used as a dropped camera
- Large areas can be searched and video taped without incurring time consuming check-out dives
- Topside it connects to a video monitor or standard TV with video input jack or a computer equipped with a video capture card
- The video can be recorded on any VCR for a permanent record
- Includes a 0.5 lux black and white camera in a corrosion-proof PVC housing with built in leak detection system, two high intensity 100 watt underwater lights, and a 150 foot deployment cable
- The underwater lights employ a unique water cooling system which allows many hours of operation without the need for bulb replacement



Pulse 6X Metal Detector

8516

- Same top quality construction and 200 foot depth rating as the Pulse 8X, but with less detection range
- Commercial quality hand-held metal detector designed for land and water use
- Able to ignore minerals in the environment while maintaining high sensitivity to all metal targets
- Diver is alerted to presence of metal target by visual and audio outputs
- Used by military, law enforcement, commercial, and salvage divers worldwide
- Can be upgraded to the Pulse 8X at any time
- No other detector is available with this type of upgrade feature

All JW Fishers products include a 2 year warranty



Humminbird 1198C SI

- 1198C-SI**
- Side Imaging and Down Imaging Sonar/External GPS Combo
 - 10.4" display
 - Includes unit cover and in-dash mounting kit
 - Power Output; 1000 Watts (RMS), 8000 Watts (peak-to-peak)
 - 50 channel GPS
 - Screen snapshot to memory card capability
 - Sonar recording
 - Split screen zoom
 - Instant image update
 - Freeze frame with ability to mark structure on side imaging
 - Sonar echo enhancement
 - 3D chart view
 - Large digits view
 - Selectable display colors
 - Selectable background colors

New Models Available December 2013

Features on new models include:

- Internal GPS
- Higher 5 Speed Processors
- Updated Cosmetics & Cursor Key
- iPilot Link Compatibility
- All models can receive S1 and 360° Imaging via Ethernet
- 360° Imaging Compatibility (S1 model)
- LakeMaster / Navionics Compatibility



SeaSucker Transducer Mount

- 8670**
- Two 120lb-rated 4 1/2" SeaSuckers affixed to an anodized aluminum bar to temporarily attach a transducer to boat
 - Drill mounting holes to match the screw pattern on your transducer



Humminbird 1198C SI To Go Kit

- 1198-Kit**
- Completely assembled kit includes:
 - Humminbird 1198C SI Combo (#1198C SI)
 - One Seasucker Transducer Mount (#8670)
 - Two 4 1/2" Seasuckers mounted to the Humminbird head unit bracket, allowing secure attachment to any smooth surface
 - Pelican 1600 case with foam
 - One 2 GB SD card
 - One set of battery clamps
 - One weather-sealed, in-line fuse assembly
 - Two 3 amp fuses
 - One aluminum GPS swing arm
 - All stainless steel mounting hardware



Humminbird AS360SSI

- AS360SSI**
- For use with the 1198CSI (not included)
 - Mark interesting returns with a waypoint directly on your 360 Imaging™ screen. The exact location will be stored in your unit's memory and is viewable on GPS Cartography
 - Choose from eight color palettes for more flexibility
 - Transducer Deployment System is the hardware behind the remarkable images of Humminbird 360 Imaging. This ruggedly constructed add-on works with any Ethernet-ready, Side Imaging-equipped Humminbird model
 - See up to 150 feet in front of your sonar pod, either in full 360 mode or by isolating your sweep area
 - 360 Imaging™ Transducer Deployment System drops below your boat's hull and prop for an unobstructed, 360° view
 - Easily manage the depth to which the Transducer Pod deploys to avoid grounding in shallow water
 - Can provide Public Safety teams a cost effective solution for underwater search



Humminbird 998C SI

- 998C-SI**
- 8" diagonal color display
 - HD Side Imaging and Down Imaging
 - 8000 Watts (Peak-to-Peak), 1000 Watts (RMS)
 - Freeze frame with ability to mark structure on sonar
 - Sonar recording and snapshot
 - Split screen zoom
 - Large digits view
 - Wide/narrow cone split screen
 - Custom view selections
 - Custom digital readout selection
 - Selectable background
 - Temperature alarm and graph
 - Instant image update
 - Real time sonar RTS window
 - Sonar echo enhancement
 - 50 channel GPS
 - Triplog
 - View preset keys

New Models Available December 2013

Features on new models include:

- Internal GPS
- Higher Speed Processors
- Updated Cosmetics & Cursor Key
- iPilot Link Compatibility
- All models can receive SI and 360 Imaging via Ethernet
- 360 Imaging Compatibility (SI model)
- LakeMaster / Navionics Compatibility



Not in the Manual Guide® to Underwater Search OPS with Humminbird® Side Imaging® Sonar DVD

- 8738**
- See page 35 for product details

See page 54 for Humminbird parts and accessories



Extrasport Fury Vest

6055

- HiFloat® maximum buoyancy
- Swiftwater® rescue system
- Front-zip
- Adjustable waist belt
- Adjustable sides
- Short-waisted slab design
- Two gear pockets
- Carabiner attachment point
- Reflective tape
- Colors: Red, Yellow
- Size: M, L, XL



Extrasport Universal HiFloat Vest

6057

- United States Coast Guard Approved type III
- Large, divided side pockets
- External D-rings and lash tabs provide plenty of room for accessories and essential gear
- HiFloat® maximum buoyancy
- 500 X 500 denier Cordura®
- Reflective tape
- GlideFit™ foam cartilage
- Two large cargo pockets
- Gaia® non-PVC foam
- Design flotation: 22 lbs
- Accommodates chest sizes 30-56 inches
- Color: Red/Black
- Size: Universal



Extrasport Ranger Vest

6054

- United States Coast Guard Approved type V
- Excellent for swiftwater rescue
- Highest flotation available in a rescuer's vest (HiFloat® maximum buoyancy)
- 500 X 500 denier Cordura®
- Reflective tape
- Cuff waist with belt
- Swiftwater® rescuer's system
- Gaia® non-PVC foam
- Colors: Red/Black, Yellow/Black
- Size: M, L, XL



Extrasport Universal Rescuer Vest

6056

- United States Coast Guard Approved type V
- Patented, United States Coast Guard Approved and UL-listed integral rescuer's harness
- HiFloat® maximum buoyancy
- GlideFit™ foam cartilage
- Custom SS ladder lock adjusters
- 500 X 500 denier Cordura®
- Reflective strip
- Two stash pockets
- Swiftwater® rescuer's system
- Gaia® non-PVC foam
- Design flotation: 22 lbs
- Accommodates chest sizes 30-56 inches
- Colors: Red/Black, Yellow/Black
- Size: Universal



Fox 40 Safety Whistle

8466

- Size: 2.25"L X .75"W
- Split ring
- Colors: Black, Orange



Mustang Work Vest

6247

- United States Coast Guard (USCG) Approved Type III/V
- Features SOLAS reflective tape on collar front and back providing enhanced visibility
- Fast-tab attachment point for required equipment
- Mesh lining enhances comfort
- Side adjustments create a customized fit in a functional universal size
- Color: Orange
- Size: Universal



Mustang 4-Pocket Survival Vest

6254

- United States Coast Guard Approved Type III (PFD)
- Equipped with D-Rings for lanyard attachments
- Short-waisted for use with sidearms
- SOLAS reflective tape
- Four pockets with full Velcro™ closures
- Tug-Tite® adjustments for exact sizing
- Strength rating of 50 mph
- Color: Orange
- Size: S - 7XL



Storm Whistle

6766

- Loudest whistle on the market
- Can be heard underwater up to 50 feet
- Most readily heard over the noise of motors, crowds and explosions
- Colors: Black, Orange



Mustang Deluxe Inflatable PFD with Sailing Harness

- 8072**
- USCG Approved Type V
- Automatically inflates when immersed in water or when wearer pulls activation cord
- Safety inspection window allows user to easily inspect inflator status
- Lightweight design for high mobility and can be easily worn over a shirt or jacket
- Durable nylon construction
- Neoprene Comfort Collar™ eliminates neck irritation
- Integrated sailing harness
- D-ring
- Buoyancy: 35 lbs
- Colors: Navy/Carbon, Red/Carbon
- Size: Universal
- Re-arm kit (#8101)



Mustang Deluxe Inflatable PFDs

- 8077, 8080**
- Automatic and manual inflation options
- Lightweight design for high mobility
- Durable nylon construction with comfortable neoprene collar
- Provides 35 lbs of buoyancy
- D-ring
- USCG Approved: Type III for manual activation, Type II Recreation for automatic activation, Type V Commercial with Type II performance for automatic activation
- Universal sizing
- Colors: Navy, Red
- Automatic (#8077) Re-arm kit (#8101)
- Manual (#8080) Re-arm kit (#8100)
- Size: Universal



Mustang Inflatable PFD with HIT for Law Enforcement

- 8105**
- USCG Type II
- Identify your department with custom silk screened backflap
- Hydrostatic Inflator Technology (HIT) offers reliable inflation in a low maintenance design
- Automatically inflates when submerged in 4 or more inches of water and not inadvertently due to rain, spray or humidity
- Maintenance free for 5 years or until inflated
- Patented SecureZip™ closure system ensures the PFD will stay closed during the most rigorous activity and will open effortlessly upon inflation
- Lightweight and comfortable design can be worn over T-shirts or thicker garments
- Neoprene Comfort Collar™ is soft on neck
- Provides 35 lbs of buoyancy
- Status indicator window
- Cylinder is contained inside a bladder to protect against corrosion
- Durable 420-Denier nylon and heavy duty polyurethane coated nylon
- Strobe light holder
- Safety whistle
- SOLAS reflective tape on bladder
- Backup oral inflator tube
- D-ring for kill-switch attachment
- Colors: Orange/Black, Navy/Black, Olive/Black
- Size: Universal
- Re-arm kit (#8104)



Mustang Deluxe Inflatable PFD with HIT

- 8103**
- USCG Type II
- Hydrostatic Inflator Technology (HIT) offers reliable inflation in a low maintenance design
- Automatically inflates when submerged in 4 or more inches of water and not inadvertently due to rain, spray or humidity
- Maintenance free for 5 years or until inflated
- Patented SecureZip™ closure system ensures the PFD will stay closed during the most rigorous activity and will open effortlessly upon inflation
- Lightweight and comfortable design can be worn over T-shirts or thicker garments
- Neoprene Comfort Collar™ is soft on neck
- Provides 35 lbs of buoyancy
- Status indicator window
- Cylinder is contained inside a bladder to protect against corrosion
- Durable 420-Denier nylon and heavy duty polyurethane coated nylon
- Strobe light holder
- Safety whistle
- SOLAS reflective tape on bladder
- Backup oral inflator tube
- D-ring for kill-switch attachment
- Size: Universal
- Colors: Black/Carbon, Orange/Black, Red/Black
- Re-arm kit (#8104)



Mustang Survival Rescue Stick

- 8107**
- Automatically inflates in seconds when immersed in water providing rapid emergency flotation
- 35 lbs of buoyancy in a large horseshoe shape
- Extremely easy to use
- Can be thrown accurately 100 feet or further
- Easy to repack and reuse
- Stored in waterproof bag
- Weighs less than a pound (15.5 oz)
- Mustang Rescue Stick Re-Arm Kit (#8108)



MRV150 Swiftwater Rescuer's Vest

8061

- 25 lb (111 N) Buoyancy
- Fluorescent yellow-green accents for improved visibility
- Drag handle
- Quick donning with 7 adjustment tabs to create a customized fit for users with chest sizes from 30-52"
- Layered flotation foam increases comfort to improve operational performance both in and out of the water
- MOLLE webbing on both shoulders and back
- Velcro® panel on back for attaching ID patches.
- Two large self draining pockets provide ample storage options
- Durable harness with 2" webbing tested to 730 lb requirements after accelerated weathering
- Quick release belt
- 500 Denier, Cordura® outer shell with high visibility accents
- Over 62 sq.in. of SOLAS™ tape
- Webbing loop in pocket
- Mustang Item Number: MRV150
- Size: Universal



Stearns Type III SAR Vest

6251

- USCG Approved Type III
- Fleece-lined handwarmer pockets with zippered and pleated gear storage compartments
- Leg strap with storage pocket, 2" wide adjustable belts and chest strap, emergency whistle
- 62 sq. in. (400 sq. cm.) of 3M Scotchlite™ Reflective Material Solas-grade 6755 on panels
- 2" wide reflective strip on back and 3/4" reflective strip around collar
- Pockets and hook and loop patch for light
- Minimum 15-1/2 lb. buoyancy
- Size: S - 7XL



Aqualung Force 6 Swiftwater RescueTec

8050

- UL listed
- USCG approved Type V flotation device
- 26 lbs minimum flotation
- Dual 1 1/2 in QR belts for throw bag attachment
- Gripp-Loc on waist belt reduces ride up
- Adjustable shoulders with dual AustriAlpin anodized aluminum buckles
- Moulded extraction handle
- 4 in Velcro name attachment backband
- Heavy duty YKK front entry zipper
- 12 elastic strap container bands
- Rear hydration attachment points
- Neoprene neck dam
- Lapel strap tunnels
- Reflective material on front and back
- Removable left front pocket
- Swim harness (leg straps)
- Shell fabric - high tenacity 420 Denier fabric
- Colors: Red, Black
- Size: S/M, L/XL



Stearns Whitewater Rescue PFD

8082

- USCG Type III/V ideal for water rescue work
- Two encircling body straps and one chest strap
- Durable nylon oxford outershell
- Soft Aquafoam™ flotation foam
- Foam-filled head support
- Heavy-duty buckles for security
- Minimum of 22 lb. buoyancy
- 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on collar and head support for greater visibility
- Color: International Orange
- Size: S/M, L/XL/2XL, Oversize



Stearns 3000 Ultra Automatic Inflatable PFD

8083

- Secumar® 6F automatic inflator
- Automatic inflation when submerged in water
- Manual inflation by pulling lanyard or by oral tube
- Includes mesh carry bag
- Tri-fold design repacks neatly and easily within minutes
- Provides minimum of 33.7 lbs of buoyancy when fully inflated
- 2" encircling body belt and reflective tape
- USCG Approved Type V inflatable PFD
- Size: Universal Adult
- Colors: Blue, Orange
- Uses Coleman re-arm kit (#0923)



Stearns Work Master Vest

6241

- Finest, most comfortable work vest available
- Includes soft, comfortable closed-cell foam and encircling body belt with snag-resistant buckle for quick adjustment
- Belt tunnel to reduce snag hazard
- Hinged back panel
- Heavy-duty nylon shell
- Marine mesh inner lining for breathability
- Flotation collar for added protection
- 62 sq. in. (400 sq. cm.) of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- 17-1/2 lb. buoyancy
- USCG approved Type III/V Work Vest
- Color: International Orange
- Size: Universal, Oversize Adult



Stearns VR Versatile Rescue Vest

8085

- Provides extra shock absorption
- Features a rugged 500 Denier nylon pack cloth outer shell for strength and durability
- Soft 200 Denier nylon liner for comfort
- Constructed with a bright yellow or red outer shell for daytime visibility and 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on front and back for improved nighttime visibility
- Quick release belt with attached tether
- Four front adjustable straps
- Waist belt under foam to help prevent ride-up
- Front and back fold-out side panels provide side protection for a full range of sizes
- Panels fold in for added ventilation
- Stainless steel shoulder adjustment hardware allows for customized fit for tall or short wearers
- Thin, low profile design adds cushioning while permitting unrestricted freedom of movement
- Adjustable shoulder straps are elastic to take up excess fabric
- Chest pad covers center split
- Tether cover to keep loose straps confined and snag free
- Removable crotch straps stow in pocket when not in use
- Polyethylene foam absorbs shock and helps insulate
- Convenient web attachment strip to clip a whistle, carabiners, etc
- Lash tabs on left and right chest and on shoulders for fastening knife or tools
- Multiple belt loops and tunnels to retain loose ends
- Utility chest pad has multiple pockets and loops
- Lower front pocket provides room for storage
- USCG Approved Type V
- Sizing: Universal Adult
- Colors: Red, Yellow



Stearns Work Boat Vest

6246

- Heavy-duty flotation and features two adjustable belts for a secure and comfortable fit
- Oversize armholes for improved range of motion
- Leg straps tuck away in back pockets for added safety and improved in-water performance
- Durable nylon shell with marine mesh inner lining
- 62 sq. in. of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- Minimum 15-1/2 lb. buoyancy
- USCG Approved Type III
- Color: International Orange
- Sizing: S - 3XL



Stearns SAR Flotation Vest

6242

- Soft, lightweight mesh designed for comfort and ventilation
- Soft flotation foam adds extra comfort
- Two 1-1/2" encircling belts, adjustable chest strap and zipper front
- Two pockets with hook and loop closure
- Soft Aquafoam™ and durable Crosstech® flotation foam
- D-rings for attaching gear
- Rolled, stand-up collar
- 62 sq. in. of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- Minimum 15-1/2 lb. buoyancy
- USCG Approved Type III
- Color: International Orange
- Sizing: S - 3XL



Stearns Versatile Vest

6250

- Stearns most versatile industrial flotation vest
- Tough nylon shell with seven-piece foam design for all-day comfort
- Four roomy pockets for accessories with full hook and loop tape closures and a rustproof Vislon® zipper
- Multiple foam inserts for exceptional flexibility and freedom
- Quick-adjust side tabs for secure fit and comfort
- 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 for high visibility
- Eyelets for attaching lights, badges, etc
- Minimum 15-1/2 lb. buoyancy
- USCG Approved Type III
- Color: International Orange
- Sizing: S - 3XL



Stearns Auxiliary Tether System

8085A

- For advanced trained rescue personnel
- Designed specifically for use with the Stearns VR™ Versatile Rescue Vest (#8085)
- Supports up to 1,100 lb. when properly integrated with the cam lock buckle release system
- Includes 4' of nylon webbing, heavy-duty carabiner and stainless steel O-ring
- Allows for right or left shoulder placement
- Color: Black



Mustang ThermoSystem Plus Coat

6243

- Delivers flotation with enhanced hypothermia protection
- Neoprene beavertail slows body temperature cooling by reducing cold water flushing
- An insulated hood (folds into collar) and neoprene wrist closures provide weather protection
- Includes hand-warmer pockets, extra large hip pockets, underarm ventilation, SOLAS reflective tape for enhanced visibility and an interior radio pocket
- Built with Mustang's High Performance Nylon™ and AirSoft™ flotation foam
- Relaxed fit offers enhanced mobility and comfort
- USCG approved Type III
- Size: S - 3XL



Mustang Classic Flotation Bomber Jacket with Reflective Tape

6256

- USCG Approved Type III
- Closed-cell foam insulation provides flotation and in-water insulation to delay the onset of hypothermia in the event of water immersion
- Relaxed fit for mobility and comfort
- SOLAS reflective tape across the chest and around each wrist increases visibility
- Full-length storm flap
- Internal waist belt reduces ride-up
- Fleece-lined hand warming pockets
- Colors: Blue, Orange, Red, Orange/Black
- Size: S - 3XL



Mustang Deluxe Anti-Exposure Coverall & Worksuit

6244

- USCG Approved Type V
- ComfortCuff™ technology creates a relaxed, comfortable fit around wrists
- Tug-Tite® at thighs and ankles cinch easily to improve fit and minimize water flushing to delay onset of hypothermia
- Extra storage with two chest pockets and large front cargo pockets
- Inflatable head pillow for additional in-water support and buoyancy
- Closed-cell foam provides flotation and in-water insulation to delay the onset of hypothermia in the event of water immersion
- SOLAS reflective tape provides added visibility
- Colors: Orange/Black, Orange
- Size XS - 3XL



Stearns Powerboat™ Jacket

6257

- Bomber-style float coat incorporating a better, more comfortable fit
- Improved wrist and waistband that won't expand when wet for maximum comfort
- Soft Suisse Aire™ foam with a coated nylon outer shell
- Multiple pockets with hook and loop closure
- 4 outside pockets, a sleeve utility pocket, and an inside chest pocket
- Internal adjustable belt for a secure fit
- Water-resistant construction and design
- Minimum 15-1/2 lb. buoyancy
- 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755
- USCG Approved Type III
- Colors: Orange, Orange/Black, Navy
- Size: S - XXL



Stearns Powerboat™ Jacket (ANSI)

8087

- ANSI compliant for even greater visibility
- Suitable for bridge work, ferries, environmental, and traffic hazardous areas
- Minimum 15-1/2 lb. buoyancy
- USCG Approved Type III and ANSI compliant
- ISEA 107-2004 Class 2 Level 2
- Color: Orange/Navy
- Size: XS - 3XL



Stearns Windward™ Jacket (ANSI)

8086

- ANSI compliant for even greater visibility
- Suitable for bridge work, ferries, environmental, and traffic hazardous areas
- Minimum 15-1/2 lb. buoyancy
- USCG Approved Type III and ANSI compliant
- ISEA 107-2004 Class 2 Level 2
- Color: Orange/Navy
- Size: XS - 3XL



Mustang Ice Commander Rescue Suit

- 8075**
- Suit of choice for Search and Rescue teams, Fire Departments, and Ice Rescue professionals
 - Snap in closed cell AirSoft™ foam buoyancy liner allows users to immerse themselves for long periods of time in icy cold water and maintain mental and physical capabilities
 - Integrated chest harness for attachment to tether lines
 - Watertight hood and face seal featuring SOLAS reflective tape and Velcro® patch for light attachment
 - Flexible heavy duty water-tight zipper
 - Welded nylon outer shell provides waterproofness and durability
 - Ergonomic ice awl sleeve pockets
 - Integrated rubber gloves
 - Knees reinforced and padded with 2.5 mm neoprene
 - Seat and elbows reinforced with shell fabric
 - Attached boots have non-slip rubber soles
 - 45% lighter than other rescue suits
 - Size: Universal
 - Color: Gold
 - Repair kit (#8075A)
 - Replacement liner (#8075B)



Mustang Ice Commander PRO Rescue Suit

- 8076**
- Accommodates a wider range of body types while offering unmatched adjustment to suit the needs of individual rescuers
 - Neoprene face guard reduces risk of water entry and can be folded back over itself out of the way
 - Hood with back zipper offers a more secure fit, SOLAS reflective tape and Velcro® patch for light attachment
 - Fast tab for easy attachment of accessories
 - Welded nylon outer shell provides waterproofness and durability
 - Integral self-adjusting safety harness
 - Ergonomic ice awl sleeve pockets
 - Integrated gloves with textured palms provide abrasion resistance and superior grip
 - Adjustment straps on torso, legs and wrists for near custom fit
 - Covered heavy duty diagonal entry zipper improves mobility and range of motion
 - Knee and elbow reinforcement and padding
 - Detachable inner buoyancy liner constructed of closed-cell AirSoft™ foam for maximum flotation and thermal insulation
 - Size: Universal
 - Color: Gold

Mustang Replacement Liner

- 8075B**
- Detachable inner buoyancy liner for Mustang Ice Commander Rescue Suit (#8075)
 - Constructed of closed-cell AirSoft™ foam for maximum flotation and thermal insulation
 - Liner can be unsnapped and removed for in-the-field repairs and cleaning
 - Liners are not interchangeable, models have different snap configurations



Stearns Driflex™ Cold Water Rescue Suit

- 6200**
- Burp Grip™ handle makes it easier to release the air in the suit
 - Invisalve™ allows for continuous purging of the air ensuring the maximum performance of the suit while being able to focus solely on the rescue
 - Shell is constructed of sonic welded, PU coated nylon
 - The thermal liner combines the insulation of Aquafoam™ and the ease of donning provided by the nylon surface
 - 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on front
 - Meets the demands of fire department and ice rescue personnel nationwide
 - Not United States Coast Guard Approved
 - Color: Orange
 - Size: Universal
 - Replacement Liner (#6200A)
 - Replacement Bag (#6200B)
 - Repair kit (#6200C)

Stearns Ice Rescue Suit™



- 6202**
- 100% closed cell neoprene suit
 - Off-set zipper for better face seal
 - Increased wrist pockets to hold ice picks
 - Reinforced knees and elbows for long-lasting durability
 - Integral chest harness with stainless steel D-rings front and back
 - 3M™ Scotchlite™ Reflective Material SOLAS-grade 3150-A PS with adhesive backing on front and back panels for high visibility
 - Gloves for better dexterity, comfort and fit
 - Thick-soled boot with tread for sure footing
 - Not United States Coast Guard Approved
 - Color: International Orange
 - Small (#6202C)
 - Oversize (#6202B)
 - Repair kit (#6202A)

See page 54 for suit parts and accessories



Ice Screw

- 6660**
- For use in ice rescue and ice diving operations
 - Easy to get the first bite in the ice due to its symmetrical grip
 - Easy to attach a carabiner
 - Easy to carry on the rack with a carabiner, even several at a time
 - Length: 7"
 - Diameter: 7/16"



Ice Awls and Pocket

- 6198**
- Sold in pairs
 - Used for self-rescue
 - Includes eyelets for lanyard attachment, lanyard, two awls and carrying pocket



Pick-of-Life

- 6199**
- Provides solid hand holds enabling self-rescue on the ice
 - Retractable awl covers
 - 72" orange reflective cord



DRI Ice Rescue Board and Cover

- 6081**
- Cover zips over Regular Swiftwater Rescue Board (#6080)
 - Vinyl-coated nylon cover with reinforced 2" nylon webbing
 - 4 reinforced handles and special rigging points for "Go" rescues
 - Ice Rescue Board Cover (#6081A)



Ice Rescue Carabiner

- 6152**
- Can be used with Dive Rescue International's rescue sling (#6662)
 - 2" opening gate
 - Weight: 380 grams
 - Strength: 22 kN
 - 7 1/2" long



DRI Ice Rescue Sling

- 6662**
- Designed for ice rescue operations
 - 2" nylon tubular webbing with a polypropylene core
 - Positively buoyant
 - Welded 2" D-ring on ends
 - 72" long
 - Use with Ice Rescue Carabiner (#6152)



Yaktrax Pro Ice Crampons

- 6203**
- Heavy-duty natural rubber
 - 1.4mm stainless steel coils and hand-wound to give 360 degrees of traction
 - Performance strap included to help keep the crampons in place
 - Weight: 5.1-5.5 oz/pair depending on size
 - Size: S-XL



ICEGRIPS® Crampons

- 8459**
- Designed to increase traction in winter's harshest conditions
 - Patented tri-lateral strap and heel-loc system fastens securely over all types of work boots
 - Each sole has 18 hex-head screws with special helix thread for maximum traction and retention
 - Screws are easily replaced when worn down
 - Sole constructed of low-density resin remains flexible in temperatures as low as -20 degrees
 - Angle Tread™ keeps the sole free of build-up
 - Size: M-3XL



Turtle Claws

- 6205**
- Modified Turtle Fin (#6204)
 - Hex-head cleats on the blade
 - Cleated plate on the forefoot
 - Fin Keepers (#6201) not included
 - Replacement Strap (#6204A) not included



Oceanid RDC Water Rescue Craft

- 8660**
- Surrounds one or more rescuers in an ultra buoyant and protective inflated perimeter
 - Tows and tracks well on water and is easier to pull than hard hull rescue sleds or rescue platforms
 - Self-righting in the event of a capsize and will paddle easily by one or two rescue team members
 - Tows incredibly well behind a snowmobile when used for patient transport or equipment hauling
 - It fits in the trunk of almost any passenger car
 - Inflates in seconds with SCBA bottle (not included)
 - Weight: 50 pounds
 - Can be launched without access to a boat ramp
 - Can be on the scene and in action in seconds
 - Stores deflated in a 2 foot cube
 - New Features:
 - Carpet Floor Top Cover - for increased boot traction in ice and snow conditions
 - Carrying Bag for the 3-piece paddles
 - Stainless steel threaded SCBA adapter attached to the air fill manifold
 - Tow shield allowing instant opening and closing of the bow/stern access holes
 - Extra D ring attachments for towing and accessories
 - Stainless steel snap shackles for the PWC and SM



JSA-200 Rescue Litter


- 8461**
- Ideal for unusually rugged rescue situations
 - Yellow high-density polyethylene shell, supported by a stainless steel outer rail, permanently attached with stainless steel semi-tubular rivets
 - Molded runners, fully exposed outer rail, nonabsorbent foam pad secured to stretcher and four patient restraint straps
 - Dimensions: 84 1/2" x 24" x 7 1/2"
 - Weight: 31 lbs
 - Load Capacity: 1200 lbs

Zodiac Futura




Zodiac Classic

Item	Part #	Model	Payload	Passengers	Weight	Length	Width
Futura HD	8600	MK2	2425	7	225	13'5"	6'6"
Futura HD	8601	MK3	2822	9	255	14'9"	6'9"
Classic HD	8602	MK2C	1653	6	170	12'6"	6'0"
Classic HD	8603	MK2	1852	7	191	13'9"	6'0"



JSA-303 Litter Flotation Collar

- 6189**
- For use with all Junkin JSA-300 series Splint Stretchers to provide flotation during patient handling in water
 - Easily attaches with hook and loop type fasteners to any Stokes type stretcher
 - Flotation bats are Dow Etha Foam® and covered in orange colored nylon
 - Weight: 3 lbs



JSA-300 PCW Rescue Litter

- 6161**
- Nylon web straps at chest, abdomen, thigh and calf
 - Adjustable footrests for vertical lifting
 - Frame is 5/8" steel tubing
 - Cross braces and runners 3/16" x 3/4" flat steel
 - Basket is 18 gauge 1" hexagon mesh netting
 - Dimensions: 80 1/2" L, 8" H, Chest 22 1/2" W, Abdomen 22" W, Thigh 21 1/2" W, Calf 20 1/2" W
 - Weight: 31 lbs
 - Load Capacity: 1500 lbs



JSA-300X Lifting Bridle

- 8462**
- Provides horizontal or vertical lifting capacity of up to 2,000 lbs
 - Made of 1" nylon webbing resistant to moisture and fungus rot with forged snap hooks and 3" ID forged steel suspension ring

Dive Rescue
International is a
distributor of all **JSA**
and **Zodiac** Products



Big Squeeze

6230

- 4.5" blade
- Overall length 9.5"
- Patented secure locking system releases with natural "squeeze" of the handle
- Mounts with leg straps (included) or belt clip on sheath
- 304 series stainless steel blunt tip blade

Colors: Blue, Charcoal, Yellow



Wenoka Squeeze Lock

6231

- 3" blunt tip blade
- Overall length 6.5"
- Patented secure locking system releases with natural "squeeze" of the handle
- 304 series stainless steel
- Easily mounts to buoyancy compensator using hose mount kit or stainless steel "Barnacle Nuts" included
- Colors: Blue, Charcoal, Yellow, Red



EZ Lock Knife

6304

- 3 3/4" blunt tip blade
- Overall length 8 1/8"
- Patented positive lock sheath system
- Alternate hollow ground serration
- Mounts with leg straps (included) or clip on sheath
- 304 Stainless Steel
- Color: Black



NRS Pilot Knife

6229

- An excellent knife for freshwater boating and rescue
- Cutting edge has both smooth and serrated sections plus a rope cutting hook
- blunt tip design protects against puncture of your gear. Doubles as a flat-head screwdriver
- Unique sheath firmly locks the knife in place and only lets it go when you squeeze both sides of the release
- Contoured handle and rubberized grip provides maximum control of the blade
- The sheath clip attaches firmly to a PFD lash tab
- The handle has a built in glass breaking tip on the end



Spyderco Rescue Knife

6232

- Blade is VG10 stainless steel with a fully serrated sheeps foot blade
- Larger thumb hole with texturing behind it
- FRN volcano grip textured handle
- Open Length: 7 1/8"
- Closed Length: 4 1/8"
- Weight: 2 oz
- Blade Thickness: 1/8"
- Blade Length: 3 1/8"



Saturna™ Outdoor and Dive Knife

6293

- Serrated blunt tip blade
- Corrosion resistant 420 stainless steel
- Completely disassembles for easy cleaning
- Handles are form fitting and slip resistant
- Can be leg or vest mounted
- Blakely™ - Serrated sheeps foot tip blade (#6289)



Deluxe Blunt Tip Knife

6296

- 4.5" stainless steel blade with Titanium coating
- Ergonomically designed grip handle
- Blunt tip with smooth, serrated and line cutter edge
- Includes locking sheath and two rubber straps
- Disassembles for cleaning
- Colors: Blue, Black



Fusilier Blunt Tip Yellow Knife

6290

- HYDRALLOY steel blade is durable and corrosion resistant
- Serrated edge quickly cuts through rope and fishing line
- Blunt tip is ideal for prying small objects
- Full choil for power grip on blade
- No metal contact
- Handle disassembles quickly for cleaning - no tools required
- 4-inch double edge hollow ground blade design
- One hand insertion and removal from sheath
- Large head screws included for attaching knife sheath to knife mounting holes on BC
- Ozone resistant quick release knife straps included
- Dimensions (L W H): 8.0" x 1.6" 0.7" (20.32 cm x 4.06 cm x 1.78 cm)
- Weight: 5.6 oz (158.76 g)
- Blade Length: 3.7" (9.40 cm)



Remora Blunt Tip Yellow

6291

- Attaches permanently to BC or regulator hose
- Blunt tip, serrated blade
- HYDRALLOY steel
- Sheath attachment kit included for BC strap, pocket or 1/2 inch air hose
- Dimensions: 6.5" x 1.80" x 0.57"
- Weight: 4.10 oz
- Blade Length: 2.90"



Blue Tang Knife

6292


- Stainless steel signaling pommel insulated from blade to eliminate metal to metal corrosion
- Quick disassembly for cleaning - no tools required
- Large choil for power grip on blade
- Serrated edge for cutting rope and line
- Hooked edge line cutter
- One hand insertion and removal from sheath
- 5" hollow ground double edge blade
- Ozone resistant quick release knife straps included



Gerber Needle Nose Multi-Tool

6297

- Stainless steel components and patented one hand opening jaws open with the flick of the wrist
- Includes: needle nose plier, wire cutter, large, medium and small screwdriver, cross point screwdriver, drop point knife, serrated sheep foot knife, can and bottle opener, fine/coarse file, standard/metric scale
- Available in black oxide coating
- Ballistic nylon sheath
- Length closed: 5.0"
- Weight: 8.6 oz.
- Limited Lifetime Warranty



500 - 1000 lbs

Carter Enclosed Pillow Bags


- Totally enclosed with over-pressure valves to vent expanding air as they ascend
- Pillow bags can attain their maximum lift in less water than open bottom bags
- Excellent for raising sunken boats and towing operations
- Bags come with brass quick-disconnect fittings attached to a short filler hose (connects to 1/4" pipe thread)



50 and 100 lb


Carter Open-Bottom Lift Bags

- Very versatile light-to-medium-duty lift bags
- Suitable for most underwater lifting and light salvage
- All but the 50lbs bags have diver-actuated dump valves and all are open at the bottom to vent expanding air as they ascend
- Economical, lightweight and fold into a compact roll for easy handling underwater



Carter Lift Bag 2,000 lbs EZ-Float Lift Bag

- Multiple attachment points
- Weight: 25 lbs
- Vol/cu ft: 32
- Material: 28 oz




Carter Salvage Tubes

- Very versatile light-to-medium-duty lift bags
- Suitable for most underwater lifting and light salvage
- All but the 50lbs bags have diver-actuated dump valves and all are open at the bottom to vent expanding air as they ascend
- Economical, lightweight and fold into a compact roll for easy handling underwater

Carter Open-Bottom Lift Bags					
Part #	Lift/lbs	Material/oz	Vol./cu. ft.	Weight/lbs	Attachment
6175	50	18	0.8	1	Single
6176	100	18	1.6	2	Single
6177	300	28	4.8	4.8	Single
6178	500	28	8	9	Single
6179	1,000	28	16	12	Single
6180	2,000	28	32	19	Single
6181	5,000	36-40	80	42	Single
Carter Enclosed-Pillow Lift Bags					
6182	500	28	8	9	Single
6183	1,000	28	16	13	Single
6184	2,000	28	32	22	Single
6185	4,000	36-40	64	37	Single
Carter Enclosed-Salvage Tubes					
6415	2,000	36-40	32	30	Multiple
6376	3,000	36-40	48	40	Multiple
Carter EZ-Float Lift Bags					
6186	2,000	28	32	25	Multiple

6144 - 6' 6145 - 12'	2" Attachment Straps Single ply with 8" eye on both ends Working Load Limits: Vertical: 3,200 lbs, Choker: 2,400 lbs, Basket: 6,400 lbs	
6149 - 6' 6150 - 12'	2" Double Ply Straps Double ply with 8" eye on both ends Working Load Limits: Vertical: 6,400 lbs, Choker: 4,800 lbs, Basket: 12,800 lbs	
6151 - 6' 6146 - 12' 6147 - 24"	2" Multiloop Attachment Straps Double ply with 8" eyes on both ends Loops sewn in 8" intervals along the length of strap Working Load Limits: Vertical: 6,400 lbs, Choker: 4,800 lbs, Basket: 12,800 lbs	
6302 - 3' 6303 - 5'	Anchor Straps Sewn heavy duty 1" nylon slings For rope rescue anchors Working Load Limits: Vertical: 3,200 lbs, Choker: 2,500 lbs, Basket: 6,400 lbs	
7030	Chain Sling Recovery Tool Used to push/pull chains and slings while performing recovery operations on submerged vehicles Extends a diver's reach under unstable objects Handle is slightly offset making it easy to determine which direction the hook is facing in low visibility conditions 3/8" round aluminum alloy, resists corrosion and oxidation 22 3/4" total length, 5 1/2" at handle and 3" at the hook	



Subsalve Enclosed Flotation Bags

- Totally enclosed "pillow" shape allows the bag to be used in any position
- Constructed of heavy-duty, ballistic-rated nylon fabric coated with urethane
- Safe working ratio of 6:1
- Can be used with single pick point with the shackle supplied on the bottom of the bag
- Can also be inverted to use the two stainless steel rings on the top of the bag with two pick points
- 3/4" NPT inflation/deflation port
- Equipped with brass quick disconnect for inflation
- Pressure relief valves - set to release at 2.5 psi above ambient pressure
- Enough pressure relief valves are installed in each bag to allow expanding air to vent should a free ascent occur



Subsalve Professional Lift Bags

- Open-bottom, balloon-shaped bags with a single attachment point
- Easy to use
- Provides maximum lifting capacity with the least total bag weight
- Heavy-duty, ballistic-rated nylon fabric coated with urethane
- Equipped with easy-to-operate fill and dump valves on the top of the bag
- Safe working load is 6:1
- Fitted with Subsalve's Plunger Dump Valve, incorporating a lanyard and push knob operation as well as a 1 1/4" NPT inflation port
- Designed with a replaceable heavy-duty nylon webbing lift harness
- Fitted with a 3/4" NPT inflation port and a 3/4" bronze ball valve for deflation



Subsalve Vehicle Recovery System (VRS 2000)

- Includes two 2,000 lbs enclosed flotation bags
- Includes two carrying cases (51" X 20" X 10") and weighs approximately 65 lbs
- Each bag is equipped with a pocket to contain an 80 cu. ft. aluminum scuba cylinder. **Cylinders NOT included**
- Manufactured from a high-strength, urethane-coated nylon fabric which is highly abrasion, oil and UV resistant
- Air cylinder is connected to the lift bag with a scuba yoke and hose assembly with a one-way check valve to allow for easy tank changes while preventing air loss from the bag
- Attachment design includes 2 stainless steel lift rings on the top and 2 on the bottom, allowing the bag to be rigged either flat or upright
- Bottom lift rings are each equipped with a 3' length of 1/4" galvanized proof coil chain with a stainless steel snap carabiner on the end
- Bags are equipped with a pressure relief valve in each corner to prevent blow-up and to allow the diver to manually vent the bag from any corner
- 3/4" brass ball valve located on the top center of each bag allows for rapid deflation

Subsalve Enclosed Flotation Bags				
Part #	Lift/lbs	Height	Length	Weight
8607	550	2' 8"	4' 3"	20
8608	1,100	3' 8"	4' 3"	32
8609	2,200	4' 7"	5'	50
Subsalve Vehicle Recovery System (VRS 2000)				
8619	2x2,200	4' 7"	5'	65
Subsalve Salvage Pontoons				
8615	2,200	3' 8"	4' 4"	50
8616	4,400	3' 8"	6' 6"	80
Subsalve Professional Lift Bags				
8611	1,100	2' 11"	4' 8"	17
8612	2,200	3' 8"	5' 3"	30
8613	4,400	4' 6"	7' 10"	50
All bags made of Urethane-Coated Ballistic Nylon				



Subsalve Salvage Pontoons

- Totally enclosed and cylindrically shaped bags are perfect for shallow water salvage
- Pontoons prove invaluable during long tows
- Constructed of heavy-duty, ballistic-rated nylon fabric coated with urethane
- Design incorporates a replaceable heavy-duty nylon webbing lift harness built into the body of the bag
- Safe working ratio is 6:1
- Harness arrangement maintains bag in horizontal position while ensuring maximum stability
- All attachment points must be connected with the shackles provided and the load evenly distributed
- Large pontoons require a separate lifting beam to evenly distribute the load
- 3/4" NPT inflation port
- Equipped with brass quick disconnect for inflation
- 3/4" bronze ball valve for deflating
- Pressure relief valves set to release at 2.5 psi above ambient pressure



2-Port or 4-Port Lift Bag Manifold & Regulator

6378, 6379

- Simultaneous or independent remote inflation of lift bags
- In-line ball and 1/4" quick disconnect on each stage
- Bleeder valve allows for cylinder changing
- 200 PSI working pressure
- All brass construction
- Overpressure relief safety valve
- High-quality balanced first-stage regulator and pressure gauge
- Includes padded protective case
- Basic (#6378) provides inflation for up to two lift bags
- Deluxe (#6379) provides inflation for up to four lift bags



Pelican Nemo 2010N LED

6330

- Produces a white collimated beam as bright as an incandescent light
- 10,000 hours of lamp life
- Rugged, light-weight ABS resin body is submersible to 100 meters
- Twist on/off lens shroud eliminates accidental discharge
- Powered by 3 C alkaline batteries (not included)
- Length: 8.11" (20.6 cm)
- Voltage: 4.5
- Weight with batteries: 13.40 oz (0.38 kgs), without batteries: 5.36 oz (0.15 kgs)
- Output: 109 lumens
- Runtime: 32 hours
- Beam Distance: 144 m
- Peak Beam Intensity: 5189 candela
- Colors: Black, Blue, Solar Yellow



Pelican Nemo 4300

6329

- Unbreakable ABS body with thermoplastic overmolded accents and polycarbonate lens
- Magnetic switch operates outside the body to prevent leaking
- Switch is easily removed for cleaning
- Spare Xenon bulb included and stored underneath the reflector
- Submersible to 500 ft
- Batteries: 8 C alkaline (not included)
- Battery Burn Time: 4 hours
- Length: 7.5" (19cm)
- Weight: 36.64 oz (1.04kg) with batteries



Pelican PeliLite 1800

8469

- Unbreakable ABS body resists chemicals, water and corrosion
- Polycarbonate lens and focused Xenon lamp module produces a tight white beam capable of penetrating smoke and fog
- Submersible with O-ring seal and twist-on shroud
- Batteries: 2C alkaline (not included)
- Battery Burn Time: 8 hrs.
- Length: 6" (15.2 cm)
- Weight: 7.8 oz (0.22kg) with batteries
- Colors: Black, Orange, Yellow



Pelican Sabrelite 2000

6237

- O-ring sealed with a twist-on shroud
- Submersible
- ABS resin body resists chemicals, corrosion and extreme temperatures
- Includes a polarity battery guard tray safeguarding against dangerous "outgassing" of hydrogen from an accidentally reversed cell
- Batteries: 3C alkaline - not included
- Bright Xenon lamp produces a powerful collimated white beam
- Colors: Black, Orange, Yellow



UK Q40 eLED Plus with Mask Strap Yellow

6332

- Single high-intensity 2-watt LED lasts for thousands of hours
- LED will not break when dropped, no glass or filament
- Power control delivers constant light output during battery life
- Twist on/off bezel
- Rubber sheath molded over bezel to reduce glare and improve impact resistance
- Tough, non-corroding ABS and polycarbonate construction
- Includes mask strap
- Dimensions (L W H): 6.5" x 1.6" x 1.4" (16.51cm x 4.06cm x 3.56cm)
- Batteries: 4AA alkaline/LR6; 4AA lithium can be used with 4 Nicad or NiMH AA battery cells - not included
- Lamp Type: eLED
- Burn Time (alkaline): 4-5 hours alkaline, 9-10 hours lithium
- Light Output (alkaline): 77lm
- Weight: 6oz (170.1g)
- Beam Distance: 328.00 ft (99.97m)
- Depth Rating: 500 ft (152.40m)



Pelican Tracker 2140

6327

- Constructed of tough polycarbonate resin that withstands chemicals, water and corrosion
- Focused Xenon lamp module produces a tight white beam capable of penetrating smoke and fog
- Twist on shroud eliminates leaky switches
- Can be clipped to coat, shirt pocket or hat
- Submersible



UK Dive Beacon Yellow

6336

- Long burn time and high brightness
- Lanyard included
- Always ON, no flashing
- Batteries: 2AAA alkaline - not included
- Dimension (L W H): 7.6" x 0.80" x 0.80"
- Burn Time (alkaline): 24 hours
- Light Output (alkaline): 3,500 mcd
- Enclosure Protection: IP68
- Depth Rating: 500ft (152.40m)

Dive Rescue International is a distributor of Pelican and UK products



UK SL4 eLED Yellow

6334

- Single handed switching with thumb or index finger
- LED will not break when dropped and lasts thousands of hours
- Controlled output for constant brightness during battery life
- Rubber sheath molded over bezel to reduce glare and improve impact resistance
- Tough, non-corroding ABS and polycarbonate plastic construction
- Dimensions (L W H): 6.20" x 1.50" x 1.70" (15.75cm x 3.81cm x 4.32cm)
- Batteries: 4 C alkaline/LR14 - not included
- Burn Time (alkaline): 10 hours
- Light Output (alkaline): 400lm
- Weight: 15.02 oz (425.81g)
- Beam Distance: 622 ft (189.59m)
- Enclosure Protection: IP68
- Depth Rating: 500 ft (152.40m)



Leland ESL I Emergency Strobe

6325

- Xenon bulb is United States Coast Guard Approved strobe light
- Operates 8-12 hours at 50-60 flashes per minute, automatically switches to 20-30 flashes per minute for another 8 hours
- Stainless steel clip for webbing, straps or belt, bottom has bayonet fitting to accept accessories
- Waterproof and can be seen for 3-5 miles depending on atmospheric conditions
- Requires 1D cell alkaline battery that must be replaced every year - not included
- Leland ESL I Magnetic Base (#6325A)



Princeton Tec Eco Flare

6323

- Waterproof
- Floats
- Wrist carrying handle
- 2 bulbs: 1 flashing LED red and 1 constant white
- White light burn time: 2 hours
- Red light burn time: 500+ hours
- Weight: 1.5oz with 2AAA batteries



Personal Strobe Light

6312

- Waterproof strobe delivers more than eight hours of 50-70 intense flashes per minute
- Includes C-Clip, inflatable PFD mounting adapter
- Maximum range of visibility 2 miles
- Batteries: requires 2AA alkaline or 1.5V lithium batteries (lasts longer than 8 hours) - not included
- Dimensions: 6" x 1.6"



Lite Tracker USCG Amber

6315


- United States Coast Guard approved
- Bright amber flashing visual indicator
- Green lens
- Moisture switch automatically activates in water
- Visible at a distance of 1 mile or greater
- Dimensions: 1 3/4" wide, 2 3/4" high, 1 1/2" deep including clip
- Weight: approximately 3.5. oz with batteries
- Equipped with 2AAA alkaline batteries providing over 50 hours of continuous full intensity lighting



Personal Marker Light

8473

- U.S. Coast Guard approved
- Superior clip-on identifying signal for rescue-at-sea or evacuation operations
- Easily attaches to PFD's and immersion suits for quick identification
- Designed to be lightweight, waterproof, and buoyant
- Squeeze-handle provides immediate activation
- When the protective sleeve is removed, 360° of reliable light is visible up to 1 nautical mile and up to 3 miles by air
- Recommended for off-shore and workboat personnel
- Available in green
- Provides 8 hours of illumination



6" Safety Lightstick

8471

- Easy to use, easy to identify and dispose of when in emergency situations
- Can be color coded for safety rules and procedures
- Provides 360° of light
- Recommended for personal use during evacuations, power outages, camping, auto safety, and utility work
- Perfect for survival, first aid, and evacuation kits
- Produces no heat, spark, or flame
- Individually foil-wrapped for light/moisture protection
- Provides up to 12 hours of illumination
- Excellent for night sonar operations
- Lightsticks fit in the shaft of the Dive Marker Buoy (#6228)



Interspiro Divator Full Face Mask

See Interspiro Divator FFM Table

- Commercial grade silicone
- High air flow capacity and low breathing resistance increases the diver's performance and endurance
- Leakage is prevented by a double sealing on the exhalation valve and with a soft and flexible mask sealing
- Low dead space volume minimizes air consumption
- Mouthpiece can be easily drained with a purge valve
- The Ambient Air Hatch is optional
- 2 lbs safety pressure for SP models
- Integrated nose block device
- Face plate
- Automatic lens defogging
- Low pressure hose
- Internal oral/nasal mask
- Excellent for current diving
- Accepts communication modules for hard wire and wireless systems (communication modules must be purchased separately)
- Also available in Gray Natural Rubber (#6214, #6214H) without safety pressure (#6217, #6217H) with safety pressure



Interspiro Hatch Installed in Visor

6316

- Ambient Air Hatch at surface level
- Easy push-pull operation
- Built-in check valve directs air to reduce visor fog and CO2 level
- Attaches to the side of the Divator mask without interfering with the field of vision
- May be purchased by certified technicians only

OTS ABV Installed in Visor

7010

- Ambient Breathing Valve (ABV) allows user to breathe ambient air at the surface
- One way valve ensures exhaled air does not go back out the valve
- Exhaled air is sent out through the second stage regulator ensuring no CO2 build-up
- Twist operation
- Valve is forced closed when diving
- Includes an AGA visor with the valve pre-installed

Omniswivel Quick Disconnect

QD-YF-S

- Female QD 9/16"-18 Male (Connects to a standard regulator hose) 1-1/2"L x 3/4"O.D
- Male QD 9/16"-18 Female (Connects to a standard regulator fitting or all OmniSwivel's) 1-1/4"L x 3/4" O.D
- Female QD has lock built into sleeve. Once connected, rotate the sleeve counter-clockwise 90deg to engage the lock
- Solid Brass Construction
- Made with O2 compatible materials
- Used for a surface disconnect.
- Does not contain check valve
- QD with 1lb check valve (QD-CV-S) allowing underwater disconnection also available



Interspiro Divator Full Face Mask		
Part #	Color	Model
7000	Black	With Safety Pressure (SP) + Low Pressure (LP) Hose (#6217A)
7000H	Black	With Safety Pressure (SP) + Hatch + LP Hose
7001	Black	Without Safety Pressure (NSP) + LP Hose
7001H	Black	Without Safety Pressure (NSP) + Hatch + LP Hose
7002	Yellow	With Safety Pressure (SP) + LP Hose
7002H	Yellow	With Safety Pressure (SP) + Hatch + LP Hose
7003	Yellow	Without Safety Pressure (NSP) + LP Hose
7003H	Yellow	Without Safety Pressure (NSP) + Hatch + LP Hose
Interspiro Divator Replacement Parts and Accessories		
Part #	Description	
88542-51	4 Slot Equalizing Pad Used to equalize ears	
6217A	32" Replacement Hose for Divator FFM 5/16" ID Low Pressure Hose with 3/8-24 1st Stage Male x AGA 2nd Stage Female	
6777	3 Slot Equalizing Pad Used to equalize ears	
SWA	AGA 2nd Stage Omniswivel AGA 2nd stage regulator to standard low pressure scuba 9/16"-18 male 3-way 360 degree rotation Converts an AGA mask to a standard scuba hose fitting Accepts in-line quick disconnect	
SWS	Standard 2nd Stage Omniswivel Standard 9/16"-18 threaded 2nd stage regulator to standard low pressure scuba 9/16"-18 male 3-way 360 degree rotation Accepts in-line quick disconnect	
308	Interspiro Divator FFM Exploded View Mat Plastic surface with rubber backing Detailed diagram of the: Safety Pressure Attachment, Diaphragm Assembly, Valve Housing, Valve Insert Assembly, Visor Frame Kit, Mask Body Assembly, Cover Assembly, Inner Mask Assembly, and Pressure Equalizer	
6218A	Head Harness - Black	



Interspiro Divator Rail with Universal Slide Mount

7020

- Easily attaches to the Interspiro Divator "AGA" FFM
- Mounts various devices to the sides of the mask
- Devices are attached to the removable slide and then slide on to the rail
- Slide is released from the rail by pressing the spring loaded release button
- Rail stays mounted to the mask, while the devices are attached to slides
- Devices are then changed by simply sliding them on or off the rail
- Quick disconnect feature allows quick exchange of devices without removing the mask from the diver
- One rail may be used or two may be mounted (one on each side)
- Attaching the rail system to the Divator mask makes it possible for a diver to have both hands free to accomplish difficult tasks underwater
- No tools are used to attach the rail system to the mask
- Two nuts are simply tightened by hand to secure the rail system to the mask
- This rail system will NOT fit on a Guardian FFM. It is designed to fit the Divator mask only

Interspiro Divator Rail

7021

- Attaches to the Interspiro Divator FFM
- Allows the attachment of various devices (lights and cameras) to the sides of the mask
- Universal slides and accessory slides allow different devices to be mounted to the rail and changed by sliding them on and off the rail
- Quick disconnect features allows support personnel to quickly exchange or replace devices without mask removal or having the diver exit the water
- A single rail may be mounted on either side of the mask or both sides to accommodate 2 devices
- Does not interfere with the Hatch or other surface breathing valves
- Attaching devices allows the divers to have both hands free to accomplish difficult tasks underwater
- No tools required to attach the rail system to the mask, simply tighten 2 nuts by hand
- Rail is easily removed for mask maintenance
- Each rail is made and assembled individually and manufactured using quality materials in the USA



INTERSPIRO

Dive Rescue International is an authorized distributor of all Interspiro FFM replacement parts.

Accessory Rail System for the Interspiro Divator FFM	
Part #	Description
7020	Divator Rail with Universal Slide Mount
7021	Divator Rail
7023	Universal Slide Mount and 2 clamps
7035	Divator Rail, Slide and Inodive Light
7037	Divator Rail, Universal Slide and Darkbuster Light
7039	Divator Rail, Universal Slide and Inodive C Light
7041	Divator Rail, Sola Slide, Sola Light, D-Ring Kit



Inodive Light System

7035

Includes:

- Divator Rail (#7021)
- Inodive Slide (#7016)
- Inodive Light (#7019)
- Shown on an Interspiro FFM



Inodive Darkbuster Light System

7037

Includes:

- Divator Rail (#7021)
- Universal Slide (#7023)
- Darkbuster Light (#7029)
- Shown on an Interspiro FFM



Inodive C Light System

7039

Includes:

- Divator Rail (#7021)
- Universal Slide (#7023)
- Inodive C Light (#7031)
- Shown on an Interspiro FFM



Sola Slide System

7041

Includes:

- Divator Rail (#7021)
- Sola Slide (7058)
- Sola Light (#7056)
- D-Ring Kit (7057)
- Shown on an Interspiro FFM



OTS Guardian FFM-ABV/Hose/Bag

- 7610**
- Designed with a double seal allowing a comfortable fit for both small and large faces
 - Equalizing system aids in fit of virtually all noses
 - Variety of colors offered
 - Low profile with superb visibility
 - Hose comes off right side
 - Easily adjustable head straps and robust buckles
 - Ambient Breathing Valve (ABV)
 - Easily removable 2nd stage regulator
 - Includes mask bag designed to maintain the mask
 - Replacement bag (#6220) See page 2

- 7615**
- OTS Guardian FFM-ABV/Hose/Bag (#7610)
 - Includes EM-OTS 2 Guardian Comm Hot Mic® (#7600)
 - Earphone and microphone assembly designed for OTS Guardian full face masks
 - Push-to-talk control
 - Hi-USE connector
 - Dual earphones

OTS Guardian Rail with Universal Slide Mount

- 7059**
- Easily attaches to the Guardian full face mask
 - Mounts various devices to the sides of the mask
 - Devices are attached to the removable slide and then slide on to the rail
 - The slide is released from the rail by pressing the release button
 - The rail stays mounted to the mask, while the devices are attached to slides
 - Devices are then changed by simply sliding them on or off the rail
 - Quick disconnect feature allows for quick exchange of devices without removing the mask from the diver
 - One rail may be used or two may be mounted (one on each side)
 - The attachment method does not interfere with commonly used surface breathing valve
 - Makes it possible for a diver to have both hands free to accomplish difficult tasks underwater
 - No tools are used to attach the rail system to the mask. Two nuts are simply tightened by hand to secure the rail system to the mask. No modifications are needed, and it is easily removed for mask maintenance



OTS Guardian Rail

- 7061**
- Accessory Rail only
 - Includes Rail w/ wire mount & 2 nuts

Guardian Rail with Universal Slide Mount	
Part #	Description
7059	Guardian Rail with Universal Slide Mount
7061	Guardian Rail
7062	Guardian Rail, Slide and Inodive Light
7064	Guardian Rail, Universal Slide and Darkbuster Light
7066	Guardian Rail, Universal Slide and Inodive C Light
7067	Guardian Rail, Sola Slide, Sola Light and D-ring kit

Dive Rescue International is an authorized distributor of all Guardian FFM replacement parts.



Inodive Light System

- 7062**
Includes:
- Guardian Rail (#7061)
 - Inodive Slide (#7016)
 - Inodive Light (#7019)
 - Shown on a Guardian FFM



Darkbuster Light System

- 7064**
Includes:
- Guardian Rail (#7061)
 - Universal Slide (#7023)
 - Darkbuster Light (#7029)
 - Shown on a Guardian FFM



Inodive C Light System

- 7066**
Includes:
- Guardian Rail (#7061)
 - Universal Slide (#7023)
 - Inodive C Light (#7031)
 - Shown on a Guardian FFM



Sola Slide System

- 7067**
Includes:
- Guardian Rail (#7061)
 - Sola Slide (#7058)
 - Sola Light (#7056)
 - D-ring kit (#7057)
 - Shown on a Guardian FFM



Universal Slide Mount and 2 Clamps

7023

- Used as a mount for video cameras, lights, heads up displays and other devices
- Once the device is attached to the Universal Slide, it can be slid onto any device equipment with the Accessory Rail attachment
- Can be quickly removed by pressing the release button
- Surface support can quickly exchange devices without removing the diver from the water
- Each Accessory rail will accept two Universal Slides



Inodive Light

7019

- Compact LED dive light.
- Produces 80 Lumens/1 Watt
- Approximately 4 hours of burn time
- 2AA batteries - not included
- Stainless steel battery contact
- Light housing is polycarbonate with a 150' depth rating
- Works very well in turbid water
- Has a double O-ring seal and a magnetic on/off switch



Sola Light

7056

- Built-in lithium-ion battery is charged through external charge ports
- Factory sealed design makes charging fast and easy
- Lumens (Flood/Spot): High- 800/500, Med- 400/250, Low- 200/125
- Run Time (Flood/Spot): High- 60/70 Min, Med- 120/140, Low- 240/280
- Charge Time: 150 Minutes
- Size & Weight: 57 mm x 101 mm & 305 gr. w/ Wrist Strap

Rail Accessories	
7023	Universal Slide Mount and 2 clamps
7023GP	Accessory Rail Go Pro Mount
7016	Inodive Slide Mount - no light or rail
7068	Slide Conversion Kit - S-Sun to Inodive
7070	Bare Slide (no mount)
7072	GoPro Bike Mount



Accessory Rail GoPro Mount

7023GP

- Used as a mount for GoPro cameras, lights, heads up displays and other devices
- Once the device is attached to the Universal Slide, it can be slid onto any device with the Accessory Rail attachment
- Can be quickly removed by pressing the release button
- Surface support can quickly exchange devices without removing the diver from the water
- Each Accessory Rail will accept two Universal Slides
- Requires GoPro Bicycle Mount to mount GoPro camera (not included)



Standard Low Pressure Scuba Hose

LP28, LP32

- Recommended for handling mixtures of oxygen, helium, and nitrogen gases customarily used in diving applications as an air breathing hose
- Kink resistant hose designed for extra long wear under normal operating use
- Tube constructed of Type C (nitrile) Black
- Reinforcement made of braided, high tensile synthetic textile cord
- Covers are Type A (neoprene) black and Type C (modified nitrile) yellow and green (all sizes perforated)
- Working pressure: 400 psi
- Proof pressure: 800 psi
- Min Burst Pressure: 2000 psi
- Temperature: Yellow -40 F to +120 F (-40 C to +49 C) continuous service
- Temperature: Green -40 F to +190 F (-40 C to +88 C) continuous service
- Black in stock, yellow and green can be special ordered
- 28" (#LP28)
- 32" (#LP32)
- Additional lengths available via special order



Sola Light D-Ring Kit

7057



GoPro Bike Mount

7072



Darkbuster Light

7029

- Light output is 3 Watts/250 Lumens with Cree XPE LED bulb
- Bulb is rated to 300'
- Polycarbonate case
- 4 hours on high power
- 3AAA batteries - not included
- Twisting the light head on and off cycles the light through full power - low power - flash



Inodive C Light

7031

- 500' depth rating
- Cree XRE LED bulb
- Produces 175 Lumens
- 2C batteries - not included
- Approximately 10 hour burn time
- Case is ABS/Lexan with double O-ring seal
- Light is turned on/off by rotating the head
- Suited for commercial use



Inodive Light with Slide Mount

7018



Kirby Morgan DSI EXO-BR

6212

- Designed for both surface supplied and scuba diving
- Encloses the diver's eyes, nose and mouth, permitting nearly normal speech when used in conjunction with most wireless and all hardwire underwater communication systems
- Light-weight design allows divers to work long dives without jaw or neck fatigue
- Modular communications design permits rapid and simple maintenance
- Optional Hard Shell gives added surfaces for mounting lights, cameras etc.
- Ear equalization device, a nose block which is adjustable to several different heights, fits a wide variety of noses and faces
- Oral nasal mask helps keep the CO2 levels to a minimum and improves breathing and communications
- Developed to meet strict new European CE requirements and is fully CE approved as well as U.S. Navy approved
- Meets and surpasses EN 250 requirements for regulator performance
- Helps reduce the work of breathing for the diver
- Regulator balances the intermediate air pressure against the valve sealing pressure inside the regulator enabling the regulator to instantly adjust to changes in line pressure
- Balanced Regulator provides improved breathing and is adjustable for a wide range of intermediate pressures between 100 PSI - 230 PSI
- Color: Yellow



Kirby Morgan DSI SuperMask M-48

6210

- Lightweight modular full face mask allows easy and rapid adaptation to various self-contained underwater breathing apparatuses as well as surface supplied systems
- Mask frame and rigid components are made of high impact plastic
- Face seal is made of the highest quality silicone and conforms to the diver's face
- Modular removable mouth pod is designed to quickly interchange allowing the diver multiple breathing gas options
- Mask is also designed to accept various wireless communications configurations
- When diving, the pod is easily removed and replaced on the mask for diver capability to buddy-breathe, use a snorkel or an octopus or perform an "in-water" gas switch
- With the pod sealed to the mask, the flexible, silicone pod cover allows the diver to quickly place the regulator mouthpiece into the mouth or dive with it free of the mouth for communications
- With the mouthpiece in the mouth, the regulator may be used without the pod being sealed to the mask
- May also be used with surface supplied gas



KMDSI Accessories		
Part #	Description	
6344	KMDSI EXO Mask Face Seal Cushion Kit Optional cushion designed to give divers with smaller faces a better seal in the EXO Full Face Mask Easily installs into the interior of the face seal	
6345	KMDSI Nose Block For use with the Original EXO Mask Makes ear equalizing easier when using hoods with thicker face seals, oversized gloves or 3 finger mitts	



KMDSI EXO Mask Hard Shell

8456

- Easily mounts on all models of the EXO® mask
- Provides reinforced areas for mounting lights or small video cameras



KMDSI EXO-26 Replacement Strap

6212A

- Keeps the mask in place on the divers head
- Neoprene rubber
- Adjustable for quick and easy donning and doffing

Dive Rescue International is an authorized distributor of Kirby Morgan products.



Accessory Rail Pole Knuckle

- 7026**
- Allows the quick attachment and removal of devices to drop a camera on a pole
 - Cameras and lights are attached to a "Universal Slide" (sold separately #7024)

Suremarker™ Diving Buoy

- 6228**
- Stops and locks into place automatically at desired depth
 - Constructed of the highest grade plastics and PVC
 - Prevails in harsh salt water and sun conditions
 - Fast deployment - no backlash
 - Anchoring aid - highly visible flag indicates wind direction
 - Easily retrieved with the patented clicker reel
 - Requires a 4-4.5 lbs weight affixed to the line to deploy
 - 100 lbs braided nylon line
 - Detachable crank handle with lanyard



Dive Flag Kit

- 6228A**
- Premium cloth flag
 - Highly visible



Suremarker™ Handle

- 6228E**
- Replacement handle for the Suremarker™ Diving Buoy (#6228)



Flag Clips

- 6228G**
- Constructed of black plastic
 - Holds the dive flag to the dive marker buoy staff



350 Rescue Tube

- 6356**
- Designed for surf, river and open water rescues, as well as pool use
 - Features a sturdy brass clip
 - Used world-wide in the most demanding conditions
 - Rounded edges for longer wear and guard comfort
 - Ensolite foam construction with heavy duty vinyl covering
 - Complete with 2" shoulder strap and 6' nylon web tow strap
 - Approximate Size: 40" x 5 1/2" x 3" with clip
 - Colors: Red, Yellow



Black-Out Mask

- 6422**
- Used for training exercises
 - Fits standard scuba and full face masks
 - Black nylon with elastic hem



Chest Harness With Stainless Steel D Ring

- 6157**
- Useful in all diving operations, including ice diving
 - Constructed with 2" heavy nylon webbing
 - Welded stainless steel D-rings
 - Fully adjustable



105 Rescue Can

- 6352**
- 28" long, weighs 3 lbs
 - 2" Velcro strap and poly tow line
 - Ideal for all open-water rescues
 - Supports two swimmers

200 Rescue Can

- 6353**
- Outstanding unit for multi-victim and SCUBA diver rescue
 - 33" long, Weight: 5 lbs
 - Almost 2X the buoyancy of the #105 can (#6352)
 - Complete with 2" Velcro shoulder strap and poly tow line



DRI Training Mannequins

- 6308 Adult**
6309 Child
- Constructed of heavyweight nylon mesh
 - Full-length Velcro® closure
 - Can be weighted and filled to provide negative buoyancy



Octo Holder

- 8690**
- 31" wrap around octopus retainer
 - Available in yellow



SeaSucker Transducer Mount

8670

- Two 120lb.-rated 4 1/2" SeaSuckers affixed to an anodized aluminum bar to temporarily attach a transducer
- Drill mounting holes to match the screw pattern on your transducer



Pelican Float

6233

- Marker recovery system
- Reusable buoy made of structural foam resin
- Includes over 100' of polyethylene 225 lb. test line and 6 oz non-drag dispatchable anchor
- Weight: 16 oz
- Length: 7"



Myton Equipment Boxes

8710

- Smooth, seamless, heavy duty plastic
- Includes lid, rope handle and straps
- Nestable
- Stack with lid
- Stenciling and consecutive numbering available (a Dive Rescue International representative will call to confirm information)
- Boxes meet all shipping requirements for UPS and FedEx
- Length: 38.5", Height: 16", Width: 26"
- Other sizes are available



SeaSucker

8672, 8674, 8676, 8678

- Two slotted holes for backplating accessories or mounting hardware
- One center stainless steel insert for mounting anything with a standard 1/4-20 machine screw
- All metal parts are high grade stainless steel, even the springs inside the pump, for extra durability in the saltwater environment
- Includes our standard plastic or aluminum housing handle
- 4 1/2" SeaSucker vacuum cup is rated to hold 120 pounds
- 6" SeaSucker vacuum cup is rated to hold 210 pounds
- Includes an orange cap to protect the vacuum cup when not in use
- 4.5" with Aluminum Handle (#8672)
- 6" with Aluminum Handle (#8674)
- 4.5" with Plastic Handle (#8676)
- 6" with Plastic Handle (#8678)

Searchline Float

6226

- Designed to keep searchlines above underwater obstacles to avoid entanglement
- 3" thick, 100% closed-cell foam
- 7 1/2" diameter
- Very resilient and tough
- Buoyancy 3 lbs 8 oz
- 1" eye made from 1/8" galvanized wire permanently embedded in the body



Dive Rescue International is an authorized distributor of Pelican products.

Primary Reel

6174 (Cave)

6174W (Wreck)

- Available in the "Wreck" model with 250' of #36 line and an extra large stainless steel snap or the "Cave" model with 400 feet of braided #24 line and medium stainless steel bolt snap
- Handle is positioned on top helping divers who use a handheld light to hold both the light and the reel in one hand
- Frame has a series of pre-drilled holes allowing the diver to change the handle position from a top-mount to a side-mount or a left-hand operation
- Spool is held in place with a stainless steel "C" clip so replacing the spool or cleaning up a jammed reel is simple



Cavern/Safety Reel

6173 (Cave)

6173W (Wreck)

- Available in a "Wreck" model with 90' of #36 line or the "Cave" model with 140' of #24 line both with a medium stainless steel bolt snap
- Handle on top helps divers who use a handheld light to hold both the light and the reel in one hand
- Frame has a series of pre-drilled holes so divers can change positions from a top-mount handle to a side-mount handle or a left-hand operated reel



Pelican 1600 Case


1600

- Unbreakable, watertight, dustproof, chemical resistant and corrosion proof
- Constructed of ultra high impact structural copolymer making it extremely strong and durable
- 1/4" neoprene o-ring and ABS latches seal perfectly and includes an automatic purge valve for quick equalization
- Includes Pick 'N' Pluck Foam
- Dimensions:
 - Exterior (L x W x D): 24.25" x 19.43" x 8.68"
 - Interior (L x W x D): 21.43" x 16.50" x 7.87"
 - Lid Depth: 1.75", Bottom Depth: 6.12"
 - Total Depth: 7.87"
- Buoyancy Max: 74.96 lbs




Diving in High-Risk Environments 4th Edition

- 6726
- Author: Steven M. Barsky
- Definitive text on contaminated water diving as well as dry suits, full face masks, wireless communications, surface-supplied diving and potable water diving operations
- Extensively revised and edited
- Over 270 photographs, technical illustrations, tables and charts
- 256 pages, soft cover



Investigating Recreational and Commercial Diving Accidents

- 6727
- Authors: Steven M. Barsky and Tom Neuman, M.D., FACP, FACPM
- Must have for anyone investigating recreational, technical, professional or commercial diving accidents
- Explores the human interactions that must take place when a diving accident is investigated
- 236 pages, soft cover



Merlin

- 6706
- Author: Cpl. Robert G. (Bob) Teather C.V.
- Insightful story about the life and challenges of a public safety diving police officer
- Fiction
- Copyright 1988
- 116 pages, soft cover



Med Dive Manual

- 6012
- Spiral bound
- Chapters Include: Medical Evaluations, Decompression Physiology, Decompression Sickness, Pulmonary Barotrauma, Rapid Field Neurological Exam, Field Treatment of Compressed Gas Injuries, Oxygen Administration, Post Diving Considerations, Advanced Treatment Principles



NOAA Diving Manual - 4th Edition

- 6714A
- Editor: James T. Joiner
- 4th Edition, Pub. Date 2001
- Full color manual contains basic through advanced applied diving technologies
- One of the most detailed diving reference books available
- 668 pages, hardcover
- CD-ROM available (#6714CD)



Choosing and Using Full Face Masks DVD

- 6917
- 48 minute program
- Learn how to select a full face mask and make it work efficiently and comfortably
- Topics include: Selecting, rigging, use with scuba, use with surface-supplied air, emergency procedures, maintenance procedures
- Bonus features include: 13 minute video on contaminated water diving and historical full face masks
- DVD-ROM features mask manuals and catalogs




Public Safety Diver Survival

- 6028
- Authors: John Carney and Fred Jackson
- Sections Include: History, Stress, Behavior, Medical, Fitness and Inoculation
- 67 pages, Spiral bound book



DAN Dive and Travel Medical Guide

- 6713
- Author: G.Y. Mebane, M.D.
- Revised Spring 2009
- Extensive coverage of dive safety and health
- Information on dive and travel safety
- Essential tool for preventing and treating scuba diving injuries
- 90 pages, soft cover



Encyclopedia of Underwater Investigations

- 6019
- Author: Cpl. Robert G. (Bob) Teather C.V.
- Second Edition 2013
- Chapters include: Body Recovery, Investigation of Death, Recovering Skeletal Remains, Body Recovery, Reporting Procedures, Scuba Facility-Accident Investigation, Firearms Recovery, Aircraft Recovery, Vehicle Recovery, Court Testimony, The Collection and Preservation of Physical Evidence, Medicolegal Terms and Definitions
- 197 pages, soft cover


Underwater Investigations Correspondence Course

- 6019C
- Includes:
 - Encyclopedia of Underwater Investigations (#6019)
 - Correspondence Course Workbook (#6019A)
 - Correspondence Course Validation (#6019B)
- Upon successful completion, each student is awarded a certificate and wallet card




Diving with the Divator Full Face Mask Manual

- 6915**
- Author: Steven M. Barsky
- Explains the benefits of using the full face mask, techniques for use and care and maintenance
- Compares full face mask to half-mask and ordinary face mask
- Diving with the Divator Full Face Mask Manual/DVD (#6915A)
- 127 pages, soft cover




Swiftwater Rescue

- 6708**
- Author: Slim Ray
- Most complete book on theory and practice of swiftwater rescue
- Addresses principles of river hydrology, technical rigging, helicopters, IC and more
- 243 pages, soft cover
- Swiftwater Rescue Field Guide (#6708F)




On Rope

- 6721**
- Excellent reference on descending, ascending, rigging, self-rescue and equipment
- Over 400 illustrations
- Published by the National Speleological Society
- 384 pages, hard cover




Dry Suit Diving Book

- 6725**
- Copyright 1990
- Sections: Be Ready for Your Journey, Why Dry Suits?, Selecting Your Dry Suit, Dry Suit Valves, Dry Suit Accessories, Using Your Dry Suit, Caring for Your Dry suit
- Soft cover



Animal Rescue in Flood and Swiftwater Incidents

- 6709**
- Author: Slim Ray
- Includes a swiftwater rescue site checklist, how to do a pet population estimate in your area, and how to treat critical injuries prior to the vet's arrival
- 85 pages, 17 photos and 13 illustrations, soft cover




High Angle Rescue Techniques 3rd Edition

- 6723**
- Unique step-by-step approach to instruction facilitates the learning process for both trainers and students
- Latest compliance with nationally recognized standards set by OSHA and the NFPA
- 384 pages, 500 illustrations, soft cover
- Includes Field Guide



Dry Suit Diving DVD

- 6729**
- Discusses advantages of dry suit diving, different suits, valves, underwear and accessories
- Demonstrates dry suit diving techniques
- Teaches care and maintenance of dry suits



River Rescue 4th Edition

- 6707**
- First-hand accounts of rescues
- Expanded material on big-water rescue - new gear and methods
- Self-rescue and rescue of others - by hand, boat, rope and other methods
- Tools and techniques - rope work, throw bags, boat handling, high and low tech gear
- Rescue organization - leadership, teamwork, patient care, evacuation
- 292 pages, 106 illustrations and 144 photographs, soft cover



Swept Away

- 6724**
- Training DVD specifically developed for rescue personnel responding to water emergencies
- In-depth look at the essentials of swiftwater rescue
- Topics include: equipment, the water environment, planning and preparation of rescue team efforts and step-by-step approaches to various rescue techniques




Training materials are available to certified Trainers only



Datalog

- 6002**
 - 40 page 6-ring binder organizes individual and/or team dives, dive calls, scene sketches and training
- 6003 Datalog Filler Kit**
 - 40 additional pages for the Datalog (#6002)
- 2020 PSD Tables**
 - Plastic dive table for Datalog



Not in the Manual Guide® to Underwater Search OPS with Humminbird® Side Imaging® Sonar DVD

- 8738**
 - Designed for the on-water professional utilizing the Humminbird® Side Imaging® system
 - Emphasis on locating drowning victims.
 - Program builds upon an introduction with basic principles of operation and terminology, moving through operations and image interpretation
 - Both the newcomer and experienced team member will benefit from the training.
 - Duration: Approximately 70 mins
 - Published: July, 2013

Student Certification Materials	
Part #	Description
5996	Ice Diving Operations Student Kit
6009A	Ice Rescue Student Kit
6005	Dive Rescue I Student Kit
6004N	Public Safety Diver Student Kit
6016	Swiftwater Rescue I Student Kit
6017	Swiftwater Rescue II Student Kit
6025	Swiftwater Rescue Combo Kit - Swiftwater Rescue I and II Kits
6036	Dive Rescue I / Public Safety Diver - #6004N and #6005 combined
Student kits include: student text, roster, records submission form, final exam, and patch	
Student & Trainer Recertification Materials	
5990	Ice Diving Operations Trainer Recertification Kit
6006R	Dive Rescue I Trainer Recertification Kit
6008R	Ice Rescue Trainer Recertification Kit
6018R	Swiftwater Rescue Trainer Recertification Kit
6038	Dive Rescue I Student Recertification Kit Packet
6038B	Dive Rescue I Student Recertification Kit Packet and Book
6038C	Corporate Dive Rescue I Student Recertification Kit Packet
6038D	Corporate Dive Rescue I Student Recertification Kit Packet and Book
6039N	Public Safety Diver Student Recertification Kit Packet (no book)
6039NB	Public Safety Diver Student Recertification Kit Packet (with new book)
6039R	Public Safety Scuba Instructor Recertification Kit

Risk Awareness DVD

- 6024**
 - 34 minute DVD
 - Copyright 2004 (Concept Systems Inc)
 - Video topics include: Risk awareness for scuba diving prior to the pool and confined water, risk awareness for scuba diving prior to open water, risk awareness for certified divers prior to specialty training/events, risk awareness for children prior to pool and confined water



Night Before the Dive CD

- 6020**
 - Author: Cpl. Robert G. (Bob) Teather C.V.
 - Addresses common pre and post-dive stresses and emotions
 - Copyright 1986




SAR Manager CD

- 6011**
 - Designed to organize all information associated with dive operations
 - Equipment tracking for maintenance scheduling
 - Case report capability to assist with court appearances
 - Includes: enhanced rig assembly, haz-mat exposure tracking, case-centered record tracking, recovery tracking, personnel tracking and diver health tracking



Next of Kin CD

- 6022**
 - Author: Cpl. Robert G. (Bob) Teather C.V.
 - Introduces the public safety water rescue team to the techniques of working with grieving families and witnesses
 - Copyright 1987



PMI Accessory Cord - 4 mm

- 1236**
- Made with the ideal combination of force absorption, flexibility and durability
 - Lightweight and supple line makes creating anchors and tying knots a breeze
 - 100% nylon
 - MBS 3.8 kN (850 lbf)
 - Colors: Multi A, Multi B, Black
 - Price is per foot

PMI Accessory Cord - 6 mm

- 1237**
- Made with the ideal combination of force absorption, flexibility and durability
 - Lightweight and supple line makes creating anchors and tying knots a breeze
 - 100% nylon
 - MBS 7.5 kN (1685 lbf)
 - Colors: Multi A, Multi B, Black
 - Price is per foot

PMI Water Rescue Rope

- 6163, 6164, 6165**
- Intended for use as a bagged throw rope for boat or shore-based water rescue
 - Continuous stranded polypropylene core provides flotation to the wear-resistant braided nylon sheath
 - Has a higher breaking strength than economy polypropylene water rescue rope and is much easier to grip



- 6163**
- 1/4" (7 mm) rope: (#6163)
Weight: 34 g/m
MBS: 8.45 kN (1,900 lbf)
Elongation: 1.2% at 300 lbf / 2.8% at 600 lbf
- 6164**
- 3/8" (10mm) rope: (#6164)
Weight: 62 g/m
MBS: 16 kN (3,600 lbf)
Elongation: 0.8% at 300 lbf / 1.6% at 600 lbf
- 6165**
- 1/2" (12.5mm) rope: (#6165)
Weight: 88 g/m
MBS: 16 kN (3,600lbf)
Elongation Not available

- **WARNING:** Due to high stretch, lower tensile strength and low temperature resistance of polypropylene, PMI Water Rescue Throw Rope should NOT be used for rappelling, high lines or any time a live load will be totally suspended by the rope!



PMI Classic Rescue Rope

- NFPA approved
 - Available in MAX WEAR™ or EZ BEND™
- Size and Minimum Breaking Strength in pounds:**
- | | | |
|-------|-----------|--------|
| 1/2" | (12.5 mm) | 9,100 |
| 7/16" | (11 mm) | 6,050 |
| 5/8" | (16 mm) | 12,980 |

Item #	Rope Size	Color
6263	1/2"	yellow/white
6264	1/2"	orange/white
6265	1/2"	blue/white
6266	1/2"	white/orange
6267	1/2"	red/white
6269	5/8"	white/orange
6270	5/8"	yellow/white
6271	5/8"	blue/white
6272	5/8"	orange/white
6259	7/16"	white/black
6274	7/16"	yellow/black



1/4" Searchline Rope

- 6100**
- Will not rot or mildew
 - Good knot holding ability
 - Great resistance to deterioration from oil, grease, and most chemicals
 - Colors: Solid yellow
 - Average tensile strength 990 lbs
 - Price is per foot
 - Used in Searchline Bag (#6082A)

Rope Markers

- 6160**
- Used to mark rope with length increments
 - Includes 60 tags



PMI 1-Inch Tubular Webbing

- 6111**
- Built to commercial versions of military specifications
 - For all rigging uses: slings, anchorage, hasty seats, etc.
 - Weight: 1 oz (36 g) per yard
 - MBS 4,000 lbf
 - Colors: Black, Purple, Red, Yellow, Dark Green, Orange, OD Green, Fluorescent Green, Blue

PMI Prusik Cord

- 1238, 1239**
- 100% nylon
 - Price is per foot
 - 7mm (#1238)
Colors: Blue/Red, Yellow/Red, Multi
 - 8mm (#1239)
Colors: Green/Blue, Red/Yellow



Economy Water Rescue Rope

- PR63001**
- 10 mm
 - Solid braid 100% polypropylene construction
 - Perfect for throwline rope
 - NOT designed for use with rigging gear
 - Weight: 41 g/m
 - MBS: 8kN (1800 lbf)
 - Price is per foot



Bokat Rope Washer

- 6249**
- Built-in brush
 - Connect to hose and pull the rope through the washer
 - Water loosens dirt and the brush scrubs it off
 - PVC housing is made with flexible vinyl hinge co-extruded for longevity
 - Hook and loop fasteners adjust for different rope or hose diameters up to 3/4"





Aluminum Semi Circular Screw Link

6710

- Specifically designed to link gear together into a central attachment point
- Ideal for harness attachment in ascending systems
- Marked like carabiners with the long and short axis MBS
- Long Axis MBS : 25 kN
- Short Axis MBS: 10 kN



Snap Shackle Stainless Steel

6711

- Maximum Working Load: 1650 lbs
- Breaking Load: 3310 lbs
- Weight: 2 oz
- Eye Diameter: 1/2 inch
- Jaw Width: 5/8 inch
- Length: 2 7/8 inch
- Heavy duty plunger springs and precision components ensure dependable service
- Body and hasp profiles are designed for easy clearance of lines and fittings when released
- High strength to weight ratio
- Split ring on plunger pin is spot welded for security
- Dive Rescue International adds one inch tubular webbing (finished length 5.5") as a quick release lanyard easily grabbed by gloved hands



Snap Shackle Stainless Steel w/ Clevis

6711A

- Maximum Working Load: 2430 lbs
- Breaking Load: 4850 lbs
- Weight: 4.8 oz
- Eye Diameter: 5/16 inch
- Jaw Width: 5/8 inch
- Length: 3 15/16 inch
- Heavy duty plunger springs and precision components ensure dependable service
- Body and hasp profiles are designed for easy clearance of lines and fittings when released
- High strength to weight ratio
- Split ring on plunger pin is spot welded for security
- Dive Rescue International adds one inch tubular webbing (finished length 5.5") as a quick release lanyard easily grabbed by gloved hands



SMC Light Steel Locking Carabiner

8521, 8523, 8524

- Stainless steel gate and sleeve
- Ideal for situations requiring the high strength and durability of a steel carabiner, but not the size and weight
- Provides most of the benefits without the weight and bulk typically associated with steel carabiners
- Gate Opening: 0.94" (23.8 mm)
- Length: 4.52" (145 mm)
- Colors: Stainless (#8521), Bright NFPA (#8523), Black NFPA (#8524)



Aluminum Delta Screw Link

8251

- Designed to stand up to multi-directional forces
- Allows ample room for multiple pieces of gear to be attached
- Links are stamped with a Working Load Limit (WLL) that is about 1/5 of its rated breaking strength
- The user should decide if this is an acceptable ratio for the intended load
- MBS 3,850 lbf (17.12 kN)



Steel Delta Screw Link

8250

- Designed to stand up to multi-directional forces
- Allows ample room for multiple pieces of gear to be attached
- Ideal for harness attachment in ascending systems or for joining anchor straps
- Links are stamped with Working Load Limit (WLL) that is about 1/5 of its rated breaking strength
- MBS 42 kN



Carabiner Daisy Chain

6424

- Stores up to 14 carabiners
- Sewn with 1" flat nylon webbing
- Carabiners NOT included



Carabiners

Part #	Type	Material	Minimum Breaking Strength	Gate Opening	Color	NFPA	Manufacturer
6137 6142	Light D Non-Locking	Aluminum	Major Axis 20 kN (4,496 lbf) Minor Axis 8 kN (1,800 lbf)	18.8 mm (0.74")	Bright (#6137) Black (#6142)	No	SMC
8241 8242	Locking D	Aluminum	Major Axis 27 kN (6,070 lbf) Minor Axis 7 kN (1,574 lbf)	20.8 mm (0.82")	Purple (#8241) Orange (#8242)	No	SMC
6138 6143 8244	Locking D	Aluminum	Major Axis 27 kN (6,070 lbf) Minor Axis 7 kN (1,574 lbf)	20.8 mm (0.82")	Bright NFPA (#6138) Black NFPA (#6143) Red NFPA (#8244)	Yes	SMC
6139 6153	Large Locking D	Aluminum	Major Axis 34 kN (7,643 lbf) Minor Axis 11 kN (2,473 lbf)	30.5 mm (1.20")	Black (#6139) Bright (#6153)	No	SMC
6152	Large	Steel	22 kN	2"	Bright	No	AustriAlpin
6190 8525	Large Locking D	Steel	Major Axis 46 kN (10,341 lbf) Minor Axis 16 kN (3,597 lbf)	30.5 mm (1.20")	Zinc Plated (#6190) Black Zinc Plated (#8525)	Yes	SMC
6191	Large Locking D	Heat Treated Steel	Major Axis 65 kN (14, 613 lbf) Minor Axis 16 kN (3,597 lbf)	30.5 mm (1.20")	Silver	Yes	SMC
8526	Large Locking D	Stainless Steel	Major Axis 46 kN (10,341 lbf) Minor Axis 18 kN (4,046 lbf)	30.5 mm (1.20")	Stainless	No	SMC
6193	X-Large Locking D	Steel	Major Axis 54 kN (12,139 lbf) Minor Axis 13 kN (2,922 lbf)	36.0 mm (1.45")	Bright NFPA	Yes	SMC
6195	8 mm Quick Link	Stainless Steel	40 kN	8 mm	Silver	No	Kong
6196	Screw Link	Stainless Steel	2500 SWL	.375"	Silver	No	National
6197	7mm Oval Screw Link	Galvanized Steel	27 kN (6,050 lbf)	8.5 mm (11/32")	Silver	No	PMI
6710	Half Circle Screw Link	Aluminum	Major Axis 25 kN Minor Axis 10 kN	10 mm (13/32")	Silver	No	Petzl
8250	Delta Triangular Screw Link	Galvanized Steel	42 kN	10 mm (15/32")	Silver	No	PMI
8251	Delta Triangular Screw Link	Aluminum	17 kN	10 mm (15/32")	Silver	No	PMI
8521	Locking D	Stainless Steel	Major Axis 33 kN (7,418 lbf) Minor Axis 10 kN (2,248 lbf)	23.9 mm (0.94")	Stainless	No	SMC
8523 8524	Locking D	Lite Alloy Steel	Major Axis 45 kN (10,116 lbf) Minor Axis 12 kN (2,697 lbf)	23.9 mm (0.94")	Bright (#8523) Black (#8524)	Yes	SMC



PMI Lightweight Gloves

- 6281**
- Lightweight, pliable goat skin provides excellent finger dexterity
 - Two layers of cowhide across the palm maximizes protection
 - Size: S - 2XL



PMI Heavyweight Rescue Gloves

- 8117**
- Split cowhide offers more finger protection and wear resistance
 - Two extra layers of cowhide across the palm for added durability
 - Size: S - XL

PMI Rope Tech Gloves

- 6280**
- Synthetic leather (palm base layer)
 - Cowhide layer (finger wear points and palm)
 - Ergonomically shaped for protection and durability
 - Two-way stretch spandex on top and fingers for greater mobility and breathability
 - Elastic cuff with pull-tab and Velcro closure
 - Carabiner loop stores inside for snag free operations
 - Size: XXS - XXL





SMC Lightweight Non-Locking D Carabiner

6137, 6142

- Sleek, low profile nose for quick capture
- Aluminum, non-locking
- Length: 4.26" (100 mm)
- Gate Opening: 0.71" (18.8 mm)
- Weight: 2 oz (54g)
- MBS 20 kN (4,496 lbf)
- Colors: Bright (#6137), Black (#6142)



Ice Rescue Carabiner

6152

- Can be used with Dive Rescue International's rescue sling (#6662)
- 2" opening gate
- Weight: 380 grams
- Strength: 22 kN
- 7 1/2" long
- Color: Bright



Kong 8 mm Quick Link

6195

- Stainless Steel
- Weight: 79 grams
- Strength: 40 kN CE/UIAA



5/16" Stainless Steel Screw Link

6196

- Safe Working Load (SWL) 2500 lbs



SMC Aluminum Locking D Carabiner

6138, 6143, 8241, 8242, 8244

- Extremely lightweight, high strength and large gate opening for functional versatility
- Locking sleeve engages the gate rather than the frame to prevent jamming
- Modified D shape
- Locking screw gate
- Stainless steel springs and pins
- Length: 4.37" (111 mm)
- Gate opening: 0.82" (20.8 mm)
- Weight: 2.6 oz (76.3 g)
- MBS: 27 kN (6,070 lbf)
- Colors: Orange (#8242), Purple (#8241), Black NFPA (#6143), Red NFPA (#8244), Bright NFPA (#6138)

- NFPA approved versions available



SMC Large Steel D Carabiner

6190, 6191, 8525, 8526

- Available in several finishes
- Large gate opening fits easily over litter rails
- All models have stainless steel gates and locking sleeves for greater strength and reliability
- MBS: 10, 341 lbf (46kN)
- Colors: NFPA Zinc Plated (#6190), NFPA Heat Treated (#6191), NFPA Black Zinc Plated (#8525), Stainless (#8526)

- NFPA and non-NFPA versions



SMC Large Aluminum D Carabiner

6139, 6153

- Specially designed for fire and rescue applications
- Large D fits easily over litter rails
- Length: 5.04" (111.6 mm)
- Gate opening: 1.20" (30.5 mm)
- Weight: 3.8 oz (108g)
- MBS: 8,036 lbf
- Colors: Black (#6139), Bright (#6153)



SMC Extra Large D Steel Carabiner

6193

- Offset D shape easily fits over a standard 1.25" ladder rung
- More suited for extra wide clipping than for tight rigging
- Stainless steel gate and sleeve
- Length: 5.70" (143 mm)
- Gate Opening: 1.45" (36 mm)
- Weight: 12.2 oz (346g)
- MBS: 54 kN (12,139 lbf)
- Colors: Bright NFPA
- NFPA 1983, G certified



PMI 7mm Oval Steel Screw Link

6197

- Designed to stand up to multi-directional forces
- Allows ample room for multiple pieces of gear to be attached
- Ideal for harness attachment in ascending systems or for joining anchor straps
- Links are stamped with Working Load Limit (WLL) that is about 1/5 of its rated breaking strength



Pulleys						
Item #	Material / Bearing	Minimum Breaking Strength	Max Rope Size	Use	NFPA Approved	Manufacturer
6140	Aluminum / Ball	Working Load 5 kN X 2 = 10 kN	8 - 19 mm	Highline, Knot Passing	No	Petzl-Kootenay
8304	Aluminum	38 kN (8,542 lbf)	10 -13 mm	Highline, Knot Passing	Yes	SMC Kootenay
6122N	Aluminum / Ball	Working Load 4 kN x 2 = 8 kN	7 - 13 mm	Manage Prusik Knots	Yes	Petzl
8318	Aluminum / Ball	38 kN (8,542 lbf)	13 mm	Prusik Minding Pulley	Yes	SMC
8319	Aluminum	22kN (5,000 lbf)	13 mm	Micro Prusik Minding Pulley	Yes	SMC
6170	Stainless / Oilite	29 kN (6,519 lbf)	13 mm	Mechanical Advantage Directional	Yes	SMC / RA
8305	Stainless / Ball	29 kN (6,519 lbf)	13 mm	Mechanical Advantage Directional	Yes	SMC / RA
8306	Stainless / Oilite	51 kN (11,465 lbf)	16 mm	Mechanical Advantage Directional	Yes	SMC / RA
8307	Stainless / Oilite	51 kN (11,465 lbf)	16 mm	Mechanical Advantage Directional	Yes	SMC / RA
8527	Stainless / Ball	51 kN (11,465 lbf)	16 mm	Mechanical Advantage Directional	Yes	SMC / RA
8309	Stainless / Oilite	41 kN (9,217 lbf)	13 mm	Mechanical Advantage Directional	Yes	SMC / RA
8311	Stainless / Oilite	63 kN (14,163 lbf)	16 mm	Mechanical Advantage Directional	Yes	SMC / RA
6171	Stainless / Bushing	16,000 lbs	5/8"	Mechanical Advantage Directional	Yes	CMI



SMC/RA Stainless Steel Pulleys

6170, 8305, 8306, 8307, 8527, 8309, 8311

- Based on Russ Anderson's original design, these pulleys are essential equipment for the serious rigger
- Rotating side plates allow attachment of the pulley anywhere on the rope and the 3" and 4" models will accept multiple carabiners
- Axle nuts are marked with a blue witness line to indicate if the axle nut has been turned or tampered
- **NFPA Approved**



Petzl/Kootenay Knot Passing Pulley

6140

- Voluminous rope channel allows the passage of joining knots (lifting loads over great distance or moving along a Tyrolean traverse with two ropes)
- Large diameter sheave ensures excellent efficiency
- Locking pins on the sheave allow use of the pulley as an anchor
- For use on ropes between 8-19 mm in diameter
- Height: 260 mm
- Sheave: 76 mm (3.0" sealed ball bearings)
- Working Load: 5 kN X 2= 10 kN
- Weight: 1390 g



Petzl Prusik Minding Pulley

6122N

- Special side plates designed for use with a Prusik friction hitch in progress capture systems
- Large diameter sheave (51 mm) mounted on sealed ball bearing for excellent efficiency (97%)
- For use with ropes between 7 mm - 13 mm in diameter
- Accepts up to three carabiners
- Safe working load: 8kN
- **NFPA 1983 (2006 ed.) G rated**



CMI Mechanical Advantage Pulley

6171

- Extra large rigging point accepts two of the largest carabiners
- The extra wide, skirted, stainless steel sideplates fully enclose 5/8" rope, keeping it away from rock or buildings
- 3" aluminum sheave
- Stainless steel axle
- Rope capacity: 5/8"
- Size: 6.5x4.25"
- Weight: 1.35 lbs
- Breaking Strength: 16,000 lbs
- **NFPA approved**
- **All CMI products are available**



SMC/Kootenay HX Pulley NFPA

8304

- Lightest, strongest, most efficient and durable pulley of its kind
- Aluminum side plates with a high strength aluminum sheave
- Sealed ball bearings provide optimal performance and help reduce resistance
- Primary carabiner hole accepts numerous rescue carabiners
- Secondary carabiner holes are provided for use with tag or belay lines
- Two quick-release pins may be used to "lock off" the sheave when a high strength tie off is required
- May also serve as an edge roller for rope protection
- Dimensions: 8.5" x 4.4" x 3"
- Weight: 28.4 oz (805g)
- Max Rope Size: 16 mm
- 3 Sigma MBS: 8,542 lbf (38 kN)
- **NFPA approved**



SMC Prusik Minding Pulley (Single)

8318

- Unique shape of the side plates allow the efficient use of Prusik hitches as a belay or progress capture device
- Constructed with a 3" (76 mm) diameter (2.5" tread) sheave running on a high efficiency ball bearing
- Low profile fasteners help eliminate the possibility of the pulley snagging
- Large top holes easily accommodate 3 large carabiners
- Designed for use with 11 mm-13 mm ropes in conjunction with 7 mm - 9 mm Prusik cords
- Dimensions: 5.85" x 4.17" x 1.37"
- Weight: 12.4 oz (354 g)
- Max Rope Size: 1/2" (13mm)
- **NFPA approved**



SMC Micro Prusik Minding Pulley (Single)

8319

- Ideal for building a mini haul rig
- Solid aluminum side plates help keep dirt and debris out of the rope track
- Dimensions: 3.75" x 2.55" x 1.12"
- Weight: 3.5 oz (99.2g)
- Max Rope Size: 1/2" (13mm)
- Sheave: MBS: 4,946 lbf (22kN)
- **NFPA approved**



Rigging Plates

Item #	Type	Size / Material	Minimum Breaking Strength	NFPA Approved	Manufacturer
6124	Rigging Plate	3/8" Aluminum	36 kN	Yes	Petzl
6132	Rigging Plate	1/2" Aluminum	36 kN	Yes	Petzl
6141	3" O-Ring	1/2" Steel	44 kN	No	PMI
6101	Rigging Plate	Aluminum	50 kN	Yes	SMC



PMI 3" Steel O-Ring

- 6141**
- Simple, low cost focal point for rigging
 - "Bombproof" forged steel ring (1/2" diameter)
 - Ideal for any multi-directional loading situation
 - Weight: 9 oz (256 g)
 - MBS: 44 kN (10,000 lbf)
 - Inside ring dimension: 3"



Petzl Paw Rigging Plate – Large

- 6124**
- For easy organization of work areas
 - Creates multi-point anchor systems
 - 19 mm holes allow the locking sleeves of most carabiners to pass through
 - Made of aluminum
 - Excellent strength-to-weight ratio
 - Breaking Strength: 36 kN
 - Weight: 350 g
 - **NFPA 1983 (2006 ed.) G rated**



Petzl Paw Rigging Plate – Medium

- 6132**
- Easy organization of work areas
 - Creates multi-point anchor systems
 - Made of aluminum
 - Excellent strength-to-weight ratio
 - 19 mm holes allows the locking sleeve of most carabiners to pass through
 - Breaking Strength: 36 kN
 - Weight: 210 g
 - **NFPA 1983 (2006 ed.) G rated**



Fox Tail Tether

- 6097**
- Designed for use in necklace searches of ship hulls for damage, sabotage or parasitic devices (limpets)
 - Constructed of 1" tubular webbing in high visibility yellow and elasticized
 - To be used with a locking aluminum carabiner and a snap shackle with clevis pin (6711A)



SMC NFPA Rigging Plate

- 6101**
- Oversized holes to accommodate more gear
 - Contoured edges are easy on ropes, webbing and carabiners
 - Each oval hole will accept 2 large carabiners
 - A large center hole accepts numerous connections
 - Anodized aluminum
 - Holes are numbered for quick identification
 - Weight: 11.4 oz (323g)
 - MBS 50 kN (11,240 lbf)
 - **NFPA approved**



Ascenders

Item #	Rope Size	Minimum Breaking Strength	NFPA Approved	Manufacturer
6128	Aluminum / 1/2"	5,400 lbs	No	Gibbs
6129	Aluminum / 1/2"	3,500 lbs	No	CMI
6130 - right	Aluminum / 1/2"	4,600 lbs	No	CMI
61330A - left	Aluminum / 1/2"	4,600 lbs	No	CMI
6130N - right	Aluminum / 1/2"	4,600 lbs	Yes	CMI
6130AN - left	Aluminum / 1/2"	4,600 lbs	Yes	CMI
6131	Aluminum / 13 mm	5 kN (1124 lbf)	Yes	PMI /SMC
8201	Aluminum / 12 - 19mm	N/A	No	Petzl
8202	Aluminum / 9 - 13 mm	N/A	No	Petzl
8205	Aluminum / 13 mm	N/A	Yes	Petzl
8206	Aluminum / 13 mm	N/A	Yes	Petzl

PMI/SMC Grip

6131

- Solid compact performer that can be used as a ratchet or to grip a kernmantle rope
- Compact, curved body is easy to grip
- Secure, user-friendly release mechanism
- Specially designed cam protects your rope in the event of unexpected loading
- This unit is not designed as a belay or fall protection device
- Accommodates ropes up to 13mm
- Anodized aluminum
- Weight: 6.7 oz (190 g)
- MBS 5 kN (1,124 lbf)
- **NFPA approved**



Petzl Ascension Ascenders

8205 (Right - Yellow), 8206 (Left - Black)

- Designed for ascending and for hauling
- Wide, ergonomic molded handle
- Toothed cam with self-cleaning slot
- Lower holes for connecting a SPELEGYCA lanyard and installing a FOOTPRO foot loop with a quick link
- Upper hole through which a carabiner attaches the device to the rope
- For single ropes between 8-13 mm in diameter
- Weight: 195 g
- **NFPA approved**

Petzl Macrocenter

8202

- Removable axle can be used to install or remove the clamp at any point on the rope
- Locking pin reduces the risk of undoing the system accidentally
- The pin and axle are part of the clamp
- For single ropes between 12-19 mm in diameter
- Weight: 335 g



Petzl Rescucender

8201

- Cam-loaded rope clamp
- Removable axle can be used to install or remove the clamp at any point on the rope
- Locking pin reduces the risk of undoing the system accidentally
- The pin and axle are part of the clamp
- For single ropes between 9-13 mm in diameter
- Weight: 250 g



Gibbs 1/2" Ascender

6128

- Designed not to slip on the rope
- Holds well on iced and muddy ropes
- For use with 1/2" rope size
- Minimum breaking strength of 5,400 lbs
- Weight: 11.4 oz
- Dimensions: 7' x 5.3" x .05"



CMI Small Ultrascenders

6129

- Ergonomically designed safety mechanism is integrated into the handle channel for maximum ease of use in long "over the lip" stretches
- Thumb notch in the cam top simplifies full cam retraction
- Cams are 4140 chrome-moly steel allowing a new, patented, non-metallic finish to the cams
- This finish gives the cams the same corrosion resistance as stainless steel yet increases both the tensile and yield strength
- CMI guarantees these cams against wear out for life
- Extruded and machined bodies, stainless steel springs and operating parts
- Breaking Strength: 3,500 lbs
- Length: 13 x 7.6 cm (5.1 x 3")
- Weight: 180g (6 oz)
- Sold in pairs



CMI Large Ultrascenders

6130N (Right), 6130AN (Left)

- Ergonomically designed safety mechanism is integrated into the handle channel for maximum ease of use in long "over the lip" stretches
- Thumb notch in the cam top simplifies full cam retraction
- Molded handgrip for maximum comfort
- Cams are 4140 chrome-moly steel allowing a new, patented, non-metallic finish to the cams
- The finish gives the cams the same corrosion resistance as stainless steel yet increases both the tensile and yield strength
- These cams are guaranteed by CMI against wear out for life
- Extruded and machined bodies, stainless steel springs and operating parts
- Length: 19 x 8 cm (7.4 x 3")
- Weight: 270g (9.5 oz)
- Breaking Strength: 4,600 lbs
- Sold individually
- **NFPA Approved**
- Non NFPA Approved (#6130 - right), (#6130A - left)





Descending and Lowering Devices

Item #	Type	Material / Rope Size	Minimum Breaking Strength	NFPA Approved	Manufacturer
6125	Standard 8	Aluminum – 1/2"	10,000 lbs	Yes	CMI
6126	Rescue 8 / Ears	Aluminum – 16 mm (5/8")	10,000 lbs	Yes	CMI
8152	Large Rescue 8 / Ears	Steel – 16 mm (5/8")	28 kN (6,295 lbf)	Yes	PMI
8171	Regular Rescue 8 / Ears	Aluminum – 1/2"	32 kN (7,194 lbf)	Yes	SMC / RA
8172	Rescue 8	Aluminum - 1/2"	32 kN (7,194 lbf)	No	SMC / RA
8173	Large Figure 8	Aluminum – 16 mm (5/8")	32 kN (7,194 lbf)	No	SMC / RA
8174	Escape 8	Aluminum	14 kN (3,147 lbf)	Yes	SMC
8321	Swivel	Aluminum	36 kN	Yes	Petzl
8322	Swivel	Aluminum	44 kN (10,000 lbf)	Yes	SMC



CMI Standard 8 - NFPA

- 6125**
- Crafted of 6061-T6 aluminum alloy to maximize the strength-to-weight ratio
 - Hardcoated for an extended working life
 - Versatile and easy to use
 - Weight: 117g (4 oz)
 - Length: 13.5 cm (5")
 - Width: 7.5 cm (3")
 - Breaking Strength: 10,000+ pounds
 - Color: Gray
 - **NFPA approved**



SMC/RA Large Rescue 8 with Ears

- 8173**
- Larger version of the Rescue 8 with Ears
 - Weight: 8 oz (226.8 g)
 - Rope Size: Up to 16 mm
 - Breaking Strength: 32 kN (7,194 lbf)



CMI Rescue 8 NFPA

- 6126**
- Big enough to handle the two of the largest ropes
 - Extended horns on the upper ring prevent rope from sliding up and locking when tying off
 - Dual holes on the tie-in end allow the eight to remain attached to the harness while threading the rope, preventing loss of device in extreme conditions
 - Industry standard for rescue grade descenders
 - 6061-T6 aluminum alloy
 - Weight: 221 g (7.8 oz)
 - Dimensions: 17x15.5cm (6.75x6.1")
 - Breaking Strength: 10,000 lbs
 - **NFPA approved**

SMC/RA Standard Figure 8

- 8172**
- Machined from 1/2" thick solid aluminum, heat-treated bar and finished with a very tough, hard-anodized finish
 - Carabiner hole functions effectively as a stitch plate for 1/2" rope
 - Weight: 5.3 oz (150 g)
 - Rope Size: 8 mm to 12.5 mm
 - Breaking Strength: 32 kN (7,194 lbf)
 - Dimensions: 6" x 3.4" x .5"



PMI Large Steel Figure 8

- 8152**
- Steel version designed for maximum wearability and versatility
 - Weight: 1.5 lbs (567 g)
 - Rope Size: Up to 16 mm
 - Breaking Strength: 28 kN (6,295 lbf)
 - Dimensions: 7.7" x 6.2" x .5"
 - **NFPA approved**



SMC/RA Regular Rescue 8 with Ears

- 8171**
- Machined from 1/2" thick solid heat-treated aluminum bar finished with a very tough, hard-anodized finish
 - Carabiner hole functions effectively as a plate for 1/2 inch rope
 - Weight: 6.5 oz (184.3 g)
 - Rope Size: Up to 12.5 mm
 - Breaking Strength: 32 kN (7,194 lbf)
 - Dimensions: 6.16" x 5.25" x .5"
 - **NFPA approved**

SMC Rescue Swivel



- 8322**
- Holes are sized to work with rescue carabiners and allow the lock sleeves to rotate through the holes without unclipping them
 - Compact length for confined space rescue and awkward hauling
 - Sides are smooth to prevent catching on rocks, litters or other components
 - Built around a heat treated axle and a sealed high efficiency ball bearing to ensure smooth rotation
 - Dimensions: 3.5" x 2" x 1.3"
 - Weight: 4.5 oz (128 g)
 - 3 Sigma MBS: 10,000 lbf (44 kN)
 - **NFPA approved**

Petzl Swivel Large



- 8321**
- Prevents the rope from twisting when the load is turning
 - Maintenance-free sealed ball bearings
 - Designed for two-person loads
 - Up to 3 connectors can be attached to the ends
 - Breaking Strength: 36 kN
 - Weight: 150g
 - **NFPA approved**

SMC Personal Escape 8



- 8174**
- Convenient choice for application and removal of an escape descender
 - Modified shape optimized for descending on small diameter ropes
 - Ideal option for escape kits used in bail out situations
 - Constructed of anodized aluminum
 - Weight: 1.7 oz (48.2 g)
 - Dimensions: 2.80" x 2.73" x 3/8"
 - Rope Size: 7.5 mm - 9 mm
 - Breaking Strength: 3,147 lbf (14 kN)
 - **NFPA approved**



KMDSI KMACS 5 with Communicator

6216

- Lightweight, portable control box for use in surface-supplied air diving operations
- Controls the divers air supply, communications and monitors depth
- Allows two divers clear push-to-talk (two wire) or round robin (four wire) communications
- Air supply can be either from a low pressure compressor or high pressure cylinders
- Allows changing of used cylinders without interrupting the dive operation
- High impact polyethylene plastic case features double wall construction and extra thick corners ensuring exceptional strength and long work life



AquaFlow Twisted Umbilical

6347

- Designed to be lightweight, ultra flexible, kink resistant and durable
- Ideal for breathing gas supply, pneumo and hot water service in both surface-demand and bell-excursion umbilicals
- Constructed of an extruded high performance thermoplastic core tube, reinforced with high strength yarn and bonded outer cover
- Tube and cover are clean and free from odors often associated with conventional rubber hoses
- Wide operating temperature range ensures breathing gas quality is maintained under all conditions from -20°C +66°C
- Price is per foot
- Umbilical Storage Bag (#6349) can be purchased separately



Broco Underwater Cutting System

8620

- Includes BR-22 Torch, HVR-4401 Regulator, UW/KS Knife Switch, and Ultrathermic Cutting Rods
- Uses only oxygen and maximum of 150 amps
- Cuts or melts through almost anything including stainless steel, brass, other ferrous and non-ferrous metals and concrete
- Cuts through marine growth, rust and mill scale eliminating the need for pre-cleaning



Broco Underwater Ultrathermic Cutting Rods

8621, 8622

- Burns in excess of 10,000° F at the tip
- Patented rod design features alloy core wires retained by circular crimps, preventing burnback
- Used with a maximum of 150 amps to assist the burning process, but have no electrical requirement
- Once ignited rods will burn as long as oxygen is supplied or the rod is consumed
- Rods can be bent 90° or more to access hard to reach places without restricting oxygen flow or causing insulation to split or flake off
- Size:
 - 18 x 3/8" rods (#8621)
 - 18 x 1/4" rods (#8622)

Broco Collett & Washer 1/4" (#8623) 3/8" (#8624)	8623 8624	
KMDSI Manifold Block w/ Scuba Adapter Fitting	6339	
KMDSI Overpressure Relief Valve	6343	
KMDSI Scuba Adapter Fitting	6207	
Quick Disconnect Hose	6206	
Highland Stainless Steel Pony Mount	6341	



Tank Racks

6239 4"

6240 6"

- 4" Tank Rack: 8 3/4" x 34 1/4" x 9"
- 6" Tank Rack: 17 3/8" x 25 7/8" x 113/16"



Quick Release Work & Weight System

6775

- See page 9 for product details



J.L. Diving Harness

6650

- Used for surface-supplied air diving
- Equipped with stainless steel welded D rings
- 2" heavy duty nylon webbing
- Provides attachment point for manifold block and umbilical



NRS Havoc Helmet Short Ear

- 6070**
- One-size-fits-most solution
 - Ratchet-adjust DialFit system allows a custom fit with the simple twist of a knob
 - Fits a range from 53-62 cm (20.86"-24.4")
 - Adjustable chin strap ensures comfort and security
 - Plush FIT pads in key contact points provide extra comfort
 - FIT pads are fixed, so they won't get lost and, if damaged, are easily replaced
 - Ten ventilation/drainage ports let air in and water out
 - ABS plastic shell is lightweight and durable
 - Glued-in EVA foam liner offers excellent impact protection
 - Meets CE 1385 standards for whitewater safety
 - Colors: Blue, Black, White, Red, Yellow



NRS Chaos Full Helmet

- 6071 (Full)
6072 (Side Cut)**
- Available in full and side cut options
 - Durable ABS plastic shell dissipates impacts
 - Dual-density EVA foam liner provides outstanding comfort and protection
 - Quick-adjust harness provides a custom fit
 - 8 ventilation ports
 - Detachable ear pads in side cut version
 - Meets CE EN 1385 standards for whitewater safety
 - Colors: Yellow, Red, Blue, White Black
 - Size: XS - XL



Cascade Helmet - Full Ear

- 8467**
- Multiple impact liner
 - 13 port drainage
 - 4 point fit
 - Closed cell foam
 - Stainless steel hardware
 - Full ear coverage
- Sizes (head circumference)**
- Small: 21 1/2" - 22 1/4"
 - Medium: 22 1/2" - 23"
 - Large: 23 1/4" - 23 3/4"
 - XL: 24"
 - Colors: Black, Red, Yellow, Blue, White



Cascade Helmet - Short Ear

- 8467A**
- Multiple impact liner
 - 13 port drainage
 - 4 point cinch fit
 - Closed cell foam
 - Stainless steel hardware
 - Half ear coverage
- Sizes (head circumference)**
- Small: 21 1/2"-22 1/4",
 - Medium: 22 1/2" - 23"
 - Large: 23 1/4"-23 3/4"
 - XL: 24"
 - Colors: Blue, Red, Yellow



DRI Swiftwater Rescue Board Bag

- 6095**
- Holds up to 5 boards
 - Boards NOT included
 - Constructed of 11 oz Cordura®
 - Zipper across top of bag



Hammerhead Swiftwater Rescue Board

- 6079**
- Streamlined rail design for easy control in moving water
 - Sealed Air Polyethylene™ material
 - 72 lbs of positive buoyancy
 - Width: 29.5"
 - Length: 44.5"
 - Quick tear away wrist tabs for Coiled or Straight leash
- Additional options: (not included)**
- Rescue Board Handle (#6079A)
 - Straight Leash (#6079S)
 - Coiled Leash (#6079B) (shown above)



Swiftwater Rescue Boards

- 6080, 6080A**
- Provides additional flotation for rescuer
 - Increases protection and control in swiftwater conditions
 - Includes webbing leash
 - Can also be used with Dive Rescue International's Ice Rescue Board Cover (#6081A)
 - Dimensions: Regular: 41"x 21" x 3" (#6080)
 - Large: 45" x 24" x 3" (#6080A)



NRS Workboot Wetshoe

6405

- Used by river professionals, rescue agencies, and Navy SEALs
- Heavy-duty lugged traction sole provides footing in varied terrain
- Fin tab on back of heel
- 7 mm neoprene insole absorbs the shock of every step
- Lace-up synthetic leather and 5 mm neoprene upper provide warmth, ankle support and a secure fit
- Wear areas are reinforced with synthetic leather and rubber
- Size: 6-15 Whole sizes only: Women order one size smaller, 1/2 sizes order one size larger
- Color: Black



OTB Boot Abyss

6432

- Superior traction on wet and dry surfaces
- Perforated lugged jungle sole allows for instant water drainage
- Recessed arch on the outsole helps identify center of gravity when climbing ladder rungs
- Ballistic mesh between the outsole and the upper prevents small stones and debris from entering
- Rubber reinforced toe and heel aid in climbing
- High abrasion TPU upper material resists scuffs
- Mesh ports throughout the boot allows water drainage and breathability
- Reticulated foam on all upper padding will not absorb water
- Mesh tongue pocket holds tied laces in place preventing snags on outcroppings
- SEAL footbed™ has a patented removable shank allowing a customized fit for wet or dry conditions
- Mens size: 6-14 - whole sizes only
- Color: Black



NRS ATB Wetshoe

6408

- Lugged hiking boot sole gives traction in the water and on land
- 5 mm neoprene upper
- 7 mm insole provides cushioning
- YKK® ankle zippers
- Wide, secure instep strap adds an extra bit of security
- Swim fin tab on back of heel
- Color: Gray
- Size 6-14 Whole sizes only: Women order one size smaller, 1/2 sizes order one size larger



Swiftwater Power Fins

6074

- Excellent propulsion and comfort in a vented fin
- Compression molded, rubber construction provides exceptional speed with minimal effort
- Open heel construction
- Black rubber only
- Size: L, XL
- Fin Keepers (#6201)
- Replacement Strap (#6204A)

Crossline Reach Rescue System

8120

- Latest innovation in swiftwater rescue
- Includes the reach device, throw bag and 60' of PMI Navigator (Dyneema core floating rope)
- System attaches easily to an individual's PFD, belt, or boat for quick and easy access
- Weight: 1.56 lbs (708 g)



Koral King Boots

6400

- Designed for extremely rocky shores
- Four seam (2 front, 2 heel)
- Non-corrosive Delrin #10 zipper
- Neoprene with Terry Plush inside
- Sole is vulcanized triple thick rubber
- Thickness 5 mm
- Size: 5-13 Whole sizes only



Swiftwater Probe Poles

8330

- Assembles in seconds by pulling the lead inner tube attached to a coated stainless steel cable
- Speed cones attached to the end of each probe section speed up assembly
- Locks into place with a simple, strong pop-button
- Probe includes 5 cm increment lazer etched depth markings for accurate depth checks
- Stainless steel cable has an adjustment knob to adjust cable tension if the probe is loose when assembled
- Includes nylon storage bag
- Storage bag has strap loops to strap the probe to any shovel handle
- 8.5' (260 cm)
- 7 sections
- Weight: 266 grams (9 oz)



NRS Rescue Gloves

6404

- Developed for rescue professionals
- Synthetic leather palms and fingers provide grip and durability
- Back of the hand has 2 mm neoprene for warmth with added 3 mm pads for extra protection
- Palm and fingers are constructed of rugged yet flexible Amara™ synthetic leather
- Armored patches on key wear areas for protection
- GripCote™ on palm and fingers gives grip and added durability
- Wristband cinches tight with hook-and-loop closure
- Size: S-XXL



NRS Utility/Paddlers Gloves

6287

- Back of the hand is 2 mm neoprene with Terraprene™ for warmth and 3 mm pads add protection against impact
- Palm and fingers are constructed of rubberized armored synthetic leather
- Armored patches on key wear areas offer protection for active paddling, rowing and rope handling
- GripCote™ on palm and fingers gives grip and added durability
- Size: XS - XXL



Swiftwater Rescue Gloves

6286

- Amara palm
- Neoprene back
- Palm reinforcement
- Adjustable Velcro wrist band
- Size: XS-XXL



Stearns Neoprene Cold Water Gloves

6403

- 2 mm neoprene gloves retain flexibility in cold water
- Specially glued and blind-stitched for a secure, comfortable fit
- Rugged shark skin palm for a sure grip
- Color: Black
- Size: S-XXL



Kevlar Glove

6397, 6398

- Ergonomically designed 5-finger pattern for dexterity
- Abrasion resistance
- 3 mm Seeflex Nylon II neoprene (#6397)
- 5 mm Seeflex neoprene with plush interior lining (#6398)
- Durable Kevlar palms, fingers and back of fingertips
- Cinches with an adjustable hook-and-loop fastener
- Size: S-XL 3 mm or 5mm



Thermocline Glove

6394, 6395

- Ergonomically designed 5-finger pattern with gently curved fingers
- Adjustable hook-and-loop fastener closure at wrist
- Rubberized coating for protection and added grip
- Seeflex Nylon II neoprene
- Size: 3 mm XS-XL, 5 mm XS-XXL
- 3 mm (#6394)
- 5 mm (#6395)



NRS Extreme SAR Dry Suit

6401

- Breathable, waterproof, 320-denier TriTon™ fabric will hold up to years of abuse
- Super tough Cordura® exterior material reinforces seat, elbows and knees for rugged protection in high-wear areas
- Neoprene padding in the elbows and knees
- Attached latex socks keep the water out
- Internal suspenders allow you to wear the top of the suit down around your waist while away from the water.
- Self-draining thigh pocket and splash proof arm pocket
- Heavy-duty YKK® waterproof men's relief zipper
- Heavy-duty YKK waterproof entry zipper seals out water
- Seams are sealed with tough liquid rubber RSeal™ so they cannot leak, ever
- Liquid neoprene coated latex gaskets provide a waterproof seal
- Neoprene outer cuffs with adjustable hook-and-loop closures on the neck, wrist and ankles protect the latex gaskets
- Reflective material on the wrists and piping help visibility in low-light conditions
- Pull cord waist adjustment allows for a more custom fit
- Size: S, M/L, XL/XXL, G2XL



Rescue Line Launcher

6416

- Comfortable pistol grip
- Bright orange body for high visibility
- Thumb operated latch for ease of loading of the self extracting breech
- Capable of shooting over 80 yards
- Line spools evenly out of the Line Spool and trails the Projectile to its destination
- Extremely accurate and easy to use.
- Power Loads, Missiles (#6411, #6412) and Line Gun Cord (#6410) sold separately



Soft Missile

6411

- Plastic construction
- 5" long X 3.25" wide
- Weight: 0.5 lbs



Hard Missile

6412

- Metal construction
- 4.5" long X 1" wide
- Weight: 0.25 lbs



Kokatat T3 Swift Entry Dry Suit

6406

- Hydrus 3L waterproof, breathable fabric
- Latex neck gasket
- Latex wrist and ankle gaskets
- "Hook & loop" adjustable neoprene over-cuffs
- Seat and knee patches, self-draining
- Adjustable bungee drawcord waist
- Factory sealed seams
- Watersports entry zipper
- Color: Denim, Tangerine/Gray
- Size: S, M, L, XL, XXL, LK
- XXL and LK sizes are only available in Tangerine/Gray



Stearns Rapid Rescue Extreme™ Dry Suit

6407

- Waterproof/breathable fabric
- Internal suspenders
- Latex waterproof seals around neck and wrist
- Quick access entry zipper
- Cordura® knees and elbows for durability
- Built-in waterproof sock
- Built-in air purge valve
- Neoprene seal protectors around wrist and neck
- Relief zipper
- Reflective tape around wrists for added visibility
- Color: Red/Black
- Size: S - XXL
- Not intended for prolonged immersion; recommended for surface rescue only



Stearns Rapid Rescue™ Dry Suit

6409

- Waterproof/breathable fabric
- Internal suspenders
- Latex waterproof seals around ankle, neck, and wrist
- Quick access entry zipper
- Neoprene seal protector around neck
- Cordura® knees and elbows for durability
- Color: Yellow/Black
- Size: S - XXL
- Not intended for prolonged immersion; recommended for surface rescue only

Mustang Sentinel™ Series Water Rescue Dry Suit

8067

- Rapid Repair Technology™ enables users to self-replace neck and wrist seals and repair small leaks in an hour or less
- YKK metal entry zipper
- Comfort fit relief opening
- 1050 Denier ballistic nylon wear protection
- Two-point attachment removable suspender system provides improved fit, mobility and comfort
- Commercial grade GORE-TEX® waterproof and breathable dry suit fabric
- Integrated universal size GORE-TEX® dry socks (size XL+ come with jumbo socks)
- Shoulder pocket with pen holder
- Neck seal protective collar
- Reinforced ankle overcuffs with side zipper for donning over boots and Velcro® closures for adjustability
- SOLAS retro-reflective tape on the arms for increased visibility
- 2 thigh cargo pockets
- Adjustable tailbone protector and waist band
- Reinforced molded foam knee and elbow pads
- Nylon reinforced seat
- Size: XS - 3XL, Regular, Short and Tall sizes



Mustang Water Rescue Dry Suit for Cache Protocol

8065

- Rapid Repair Technology™ enables users to self-replace neck and wrist seals and repair small leaks in an hour or less
- YKK metal entry zipper
- Comfort fit relief opening
- Closed comfort system AS neck seal
- Trim-to-fit wrist seal
- Reinforced wrist and ankle overcuffs with Velcro® closures for adjustability
- 1050 Denier ballistic nylon wear protection
- Two-point attachment removable suspender system provides improved fit, mobility and comfort
- GORE-TEX® waterproof and breathable dry suit fabric
- Integrated GORE-TEX® dry socks (size XL+ come with jumbo socks)
- Adjustable waist band
- SOLAS retro-reflective tape on the arms for increased visibility
- Reinforced knee and elbow pads help prevent injury
- Nylon reinforced seat
- Size: M-XXL



See page 3 for Whites Kodiak Swiftwater Rescue Dry Suit



Dive Team T-Shirt

- 6931**
- 100% pre-shrunk cotton
 - Dive Rescue International logo on chest
 - Color: Red
 - Size: S - 3XL
 - 2XL & 3XL have up-charges



Dive Flag T-Shirt

- 6932**
- 100% pre-shrunk cotton
 - Dive Rescue International logo on chest
 - Color: Black
 - Size: S - 3XL
 - 2XL & 3XL have up-charges



Public Safety Diver T-Shirt

- 6933**
- 100% pre-shrunk cotton
 - Dive Rescue International logo on chest
 - Color: Black
 - Size: S - 3XL
 - 2XL & 3XL have up-charges



T-Shirt with Emblem

- 6937, 6938**
- 100% pre-shrunk cotton
 - Dive Rescue International logo on chest
 - Color: Navy
 - Size: S - 3XL
 - 2XL & 3XL have up-charges
 - Short Sleeve (#6937)
 - Long Sleeve (#6938)



Khaki

BDU Trousers Battle Rip

- 6942, 6942Z**
- Battle Rip is an all-season weight, 65% polyester/35% cotton
 - Sewn to military specification
 - Features 6 pockets, four with button flaps
 - Seat and knees are double-reinforced
 - Felled inseam, outseam and seat seam
 - Fused pocket flaps
 - Adjustable waistband with 4 bar tacks
 - Drain holes in Bellows pockets
 - Nylon drawstring closures are fused knotted and tacked
 - Size: XSR - 4XLR
 - Button Fly (#6942)
Colors: Black, Brown, Dark Gray, Dark Navy, Gray, Khaki, Olive
 - Zipper Fly (#6942Z)
Colors: Black, Navy



Olive

BDU Shorts Battle Rip - Zipper Fly

- 6939Z**
- Zipper fly
 - Six pockets, four have button flaps
 - 4" waistband is adjustable with four bar tacks
 - Fused pocket flaps
 - Drain holes in Bellows pockets
 - Felled inseams, outseams and seat seams
 - 10" inseam
 - Size: SW - XXLW
 - Colors: Black, Brown, Khaki, Dark Navy, Olive Green, Multi Camo



Dive Rescue Team Patch

- 6044**
- Display training accomplishments on uniforms, hats, PFDs or jackets
 - 3" diameter



Briefcase

- 6966**
- Deluxe briefcase expands to 6.5" deep
 - Fabric: 600 Denier Vinyl Backed Polyester
 - Expandable with numerous pockets
 - Detachable shoulder strap
 - Embroidered Dive Rescue International logo and initials available in various colors



PMI Uniform Belt

- 8275**
- Constructed of 1 3/4" wide black webbing
 - 7,000 lbs minimum breaking strength
 - One size fits most up to 48" waist and can be trimmed by the user
 - Not intended as an emergency harness, but as a back up



Cap

- 6952**
- Adjustable sizing strap
 - Embroidered logo
 - Colors: Black, Navy, Khaki



MK-7 Buddy Line

6810

- Compact self-contained one or two diver air intercom
- Allows clear round robin communication
- Designed for search and rescue teams as an underwater communication device with minimal set-up time
- 2 watts of power managed by state-of-the-art circuitry providing a relatively long life and great intelligibility
- Operates on 8 AA alkaline batteries
- **Additional options: (not included)**
- Rechargeable battery pack and charger
- RB-11 is the NiMH battery pack (12 volts) used with MK-7, SSB-2010, 2001B-2, 1001B and ComBox
- RCS-15US battery charger for RB-11 battery pack (230V, 50/60Hz) replaces RC-15
- RCS-16US Smart Battery charger for MK-7 (niMH), replaces RC-16



4-Wire Communication Rope

6801, 6802

- 8 mm or 10 mm nylon kernmantle construction
- 4-wire communication cable in center
- Rope tensile strength:
- 8mm: 2,500 lbs (#6801)
- 10mm: 5,000 lbs (#6802)
- Connections:
- **Male Amp/HUC (#6802A)**
- **Male Amp/Male Amp (#6802B)**
- **Male Amp/Marsh Marine (#6802C)**
- **Double Banana Plug/HUC (6802D)**



Y Adapter for MK-7

6802Y

- Connects up to 3 divers to the OTS MK-7
- Allows the primary, back-up and 90% diver to communicate with the tender and eliminates the need for a second communications unit



Female Amp - Double Banana Plug Comm Rope Adapter

6804F

- MK-7 to MK-2 DCI



DRI Comm Rope Wrap

6803

- Webbing is braided around 8 mm or 10 mm comm rope
- Prevents internal wires from becoming brittle due to tying knots for the divers' attachment points and hand holds
- Constructed with 1" tubular webbing and brass grommets for long lasting durability and strength



Male Amp/HUC Connection

6802A



Male Amp/Male Amp Connection

6802B



Male Amp/Marsh Marine Connection

6802C



Double Banana Plug/HUC Connection

6802D



Male Amp - Double Banana Plug Comm Rope Adapter

6804M

- Male amp pigtail with gripper ring on one end
- Banana plugs on the other end



DRI Communication Rope Bag

6806, 6806T, 6807

- See page 1 for product details



Snap Shackle Stainless Steel w/ Clevis

6711A

- See page 37 for product details



Snap Shackle Stainless Steel

6711

- See page 37 for product details



OTS EMX-2 Communication Module

- 6820**
- Earphone and microphone assembly set-up for EXO-26 with dual earphones
 - Push-to-talk control
 - Hi-Use connector
 - Hot-Mic® (150 ohm)
 - Operator manual included
 - Can be used with hardwire or wireless systems



OTS EMA-2 Hi-Use Communication Module

- 6822**
- Earphone and microphone assembly designed for Interspiro full face mask
 - Push-to-talk control (not used in hardwire applications)
 - Hi-USE connector
 - Hot-Mic®
 - Includes dual earphones and the Interspiro cover plate



OTS EMA-2A Amp Communication Module

- 6823**
- Earphone and microphone assembly designed for Interspiro full face mask
 - Push-to-talk control (not used in hardwire applications)
 - Amp connector
 - Hot-Mic®
 - Includes dual earphones and the Interspiro cover plate



OTS EMD-2 Communication Module

- 6826**
- Earphone and microphone assembly set-up for KMDSI M-48 Supermask
 - Push-to-talk control
 - Hi-Use connector
 - Hot-Mic® (150 ohm)
 - Dual earphones



KMDSI EXO Comm Assembly with MWP

- 6211B**
- Comm assembly with male waterproof connector



OTS Earphone Holder

- Constructed of neoprene
- Designed to hold OTS earphones and EMA-2s
- Sold individually, not in pairs



OTS Buddy Phone® D2 for Guardian Mask

- 7620**
- Provides through-water communication
 - Includes voice menus via Push-To-Talk (PTT) button to control channel, volume, squelch and a patented Hot Mic®
 - Battery type: alkaline 9-volt transistor type #522 or Ultralife® lithium 9-volt cell
 - Maximum unit depth: 130 fsw



OTS Buddy Phone® D2 for Interspiro Divator Mask

- 6811**
- Uses ultrasonic upper single sideband for transmission
 - Complete with an IS cover plate with Push-to-Talk button, a HotMic® and the main transceiver
 - Compatible with Interspiro Divator Mask and can be configured for the OTS Guardian as well
 - Nominal range 50-500 meters depending on sea conditions and noise levels
 - Operates to a depth of 130' of sea water
 - Uses alkaline 9V transistor type battery or a Ultralife® lithium 9-volt cell



OTS EM-OTS 2 Guardian Comm

- 7600, 7605**
- Earphone and microphone assembly designed for OTS Guardian full face masks
 - Push-to-talk control
 - Hi-USE connector
 - Hot-Mic®-noise cancelling, salt-water resistant, pressure-resistant, studio quality microphone
 - Dual earphones
 - Hot Mic® (#7600)
 - Super Mic (#7605)

OTS SSB 2010

- 8457**
- Multichannel single sideband underwater telephone
 - Can be configured to operate with virtually any style full face mask or mouth mask
 - Adjustments can be made underwater
 - Voice-driven menu talks the diver through all adjustments
 - Transmitter band 31 kHz to 33 kHz
 - 3-watt acoustic output power
 - Operates on 8 AA alkaline batteries or optional NiCad battery pack
 - Can operate as portable surface unit with optional CDK-6 Surface Accessory Kit (#8457A)



CDK-6 Surface Accessory Kit Shown with SSB 2010

- 8457A**
- Designed to convert an SSB-2010 (#8457) into a portable surface station
 - Includes: 1 headset with boom microphone, push-to-talk control, and a 55' transducer cable with male and female amp connectors



OTS STX-101 Surface Unit

6825

- Wireless surface station with four channel capability
- 35' transducer cable and hand-held microphone
- Nominal range is 200m-1000m (through-water)
- Powered by two 6V alkaline lantern batteries for 20 hours or 2 RB-6V gel-cell batteries (optional) for 12 hours
- External power: 12VDC, minimum 5 amp (access via front panel with use of a mini double banana plug)



OTS MK2-DCI Air Intercom

8458

- Compact, self-contained two or one-diver air intercom
- Allows one or two divers clear communications either in the 2 or 4 wire mode
- Up to 6 divers can be stacked and all be on the line together (4 wire mode)
- 20-watt power output
- Heavy duty front panel speaker or optional headset
- Operates on two 6V alkaline lantern batteries or optional RB-6V rechargeable battery
- Remote speaker, record out, 12V in, headset with boom mic and binding post receptacles
- 20 hours of continuous use



OTS SP100-D2 Buddy Phone Surface Station

6813

- Will operate with all single sideband acoustic underwater devices within range and on the same frequency
- Compact and operates on 8 AA alkaline batteries or for extreme long life, two battery packs (16AA) can be used
- Nominal range of 50-500 meters depending on sea conditions and noise levels
- Hand-held microphone and panel speaker



OTS SSB 2010 Comms Bracket

7028

- Mounts the OTS SSB 2010 comms box to your dive equipment
- Places the comms unit in a favorable position for underwater communication while in a horizontal search position
- Bracket allows the use of the tank band to hold the comms box
- Does not interfere with tightening or securing the tank band
- 3/16 inch 304 stainless steel wire, suitable for all diving environments
- May be used to anchor other diving accessories





Suit Replacement Parts and Accessories	
Item	Part #
DUI Replacement Zip Wrist Seal (pair)	2090
DUI Replacement Zip Wrist Seal for HD or RS (pair)	2092
DUI Neck Replacement Zip Seal	2094
DUI Replacement Zip Neck Latex Hood Combo	2096
Mustang Ice Commander Repair Kit	8075A
Stearns Driflex™ Cold Water Rescue Suit Repair Kit	6200C
Stearns Ice Rescue Suit™ Repair Kit	6202A
Viking Hood Purge Valve	2022
Viking Repair Kit	2036
Viking Inner Latex Hood - Turbo	2044
Viking Latex Hood - Surveyor	2045
Viking Rubber Glue	2050
Viking Glue Hardener	2052
Viking Black Patches	2053
Viking Solvent	2054
Viking Inflator Hose	2055
Viking Latex Neckseal	2056
Viking Double Exhaust Valve	2058

Suit Replacement Parts and Accessories	
Item	Part #
Viking Pro Cuff	2062
Viking HD Cuff	2063
Viking Pro 37" Zipper	2065
Viking Pro/HD 37" Zipper	2067
Viking Black Zipper Reinforcement 90cm F/E	2069
Viking Cuff Ring Set	6388
Viking HDS Cuff Ring Set	6793
Viking Red Zipper Reinforcement 34.5"	2071
Viking Vulcanized Tape - Red	2073
Viking Black Zipper Reinforcement 95cm R/E	2077
Whites Replacement Polytex Pro Wrist Seal w/ dry adhesive	2100
Whites Replacement Neck Seal w/ dry adhesive	2104
Whites Polytex Hood Replacement w/ dry adhesive	2108
8 oz Aqua seal - McNett	6221
Silicone Grease - McNett	6510
1/2 oz Cotel-240 - McNett	6222A
Zip Tech - McNett	6225
Zip Care 2oz - McNett	6223

Humminbird Parts and Accessories		
Item	Description	Part #
PC 11 Power Cable	Filtered power cable Length: 6' Waterproof Use with all 1100 Series products	8726
GM 3 Gimbal Mount	Unit Mount	8728
AS GRP GPS Receiver	Precision GPS/WAAS receiver Provides fast position fixes accurate within 2.5 meters Dimension: 3.25" diameter x 1.5" high Includes 20' cable Has a 1"-14 thread count stem mountable with an optional antenna stem (antenna stem not included)	8734
Transom Mount Transducer	Dual/HD Side Imaging Transom 20/60/86/55 degree 200/83/455/800 kHz with built-in temperature Includes 20' cable	8732
Transducer Adapter Cable	Y cable separates side imaging into left and right beams Only for use with side imaging products Allows use of two side imaging transducers with one unit without the need for a transducer switch For use where the plastic thru the hull transducer is required on a boat with a deep V hull Can also be used if the motor or other items on the exterior of the boat block one side of the transducer and distort readings	8724
VCI Video Cable	Video output cable Approximately 6' long Equipped with two standard male RCA connectors on the output side and one standard connector for the 1100 and 800 Series and select 900 Series products for hook up	8722
Transducer Extension Cable 30'	30' extension cable for transducers	8720
Cable Collector Assembly	This hardware management kit collects all the cables that plug into the back of your unit and holds them securely in place. This connector works with all 1100 Series products	8736



Training Programs

Hosting a Program

Dive Rescue International has been the leading training agency for water rescue, recovery and investigative professionals for 35 years. Our goal is to supply you with professional training specific to your departmental requirements. Our hosting program makes it easy and economical for you to bring one of our customizable programs to your area. As a host, your department is responsible for arranging facilities and locally publicizing your program to help us reach the minimum required paid registrations. Dive Rescue International will provide regional publicity through e-mail and mailing lists, registration maintenance, student materials, program equipment and a corporate trainer to conduct the program. Benefits of hosting a program include:

Quality Training: Our corporate training staff is composed of full-time law enforcement, fire service and emergency personnel who have extensive experience in all aspects of the public safety diving field.

Reduced Costs: By bringing our programs to you, we eliminate the need for travel related costs such as airfare, hotel, rental cars and per diem expenses for your team members.

Local Training Environment: Programs are tailored to meet the unique challenges of your region's aquatic environment. Training will be more realistic and practical when conducted where incidents may occur.

Free Training: Hosting agencies are eligible to receive multiple complimentary tuitions for their team members.

Equipment Discount: Each host department also receives a one-time 10% discount on equipment purchased from Dive Rescue International within 90 days of their program.

Host Requirements

- Diving Programs: Hosts will be required to arrange a classroom, pool, openwater facilities and select equipment.
- Non-Diving Water Based Programs: Hosts will be required arrange a classroom, openwater facilities and select equipment.
- Non-Diving Land Based Programs: Hosts will be required to arrange a classroom and select equipment.
- Please contact us for a program specific schedule and list of required equipment.

Diving Programs

Dive Rescue I (DR1) Our Premier Program

Our premier program is a must for all dive team members. From scene evaluation to incident debriefing this program covers it all. Diving and surface support personnel will learn to apply the latest techniques in underwater rescue and recovery to prepare them to respond effectively and safely to water incidents. Get started on your way to our more advanced and trainer level programs with Dive Rescue I. This program is a prerequisite for many of our programs. This program is presented in the classroom, pool and open-water to allow students to become familiar with the techniques prior to field scenarios.



Program topics include: Drowning, Dive Team Organization and Management, Search Patterns, Scene Evaluation, Victim Retrieval, Service to the Family, Media and Other Agencies, Vehicle Accidents, Underwater Investigation

Duration: 3 days (24 hours)

Dive Rescue II (DR2)

This customized program provides students with the opportunity to gain valuable experience using very specialized techniques and equipment. To prepare your team for successful operations you must match your training with your local response needs. Dive Rescue II allows the local host to determine the most appropriate advanced topics for your region's particular water rescue needs. All of Dive Rescue International's diving courses are taught in a classroom, a pool and an open-water site allowing students to practice their new skills in a safe environment prior to the mandatory field scenario work.

Program topics include: Boat Based Operations, Current Diving, Dry suit Diving, Evidence Recovery Operations, Haz Mat Diving, Special Marine Operations, Ice Diving Operations, Light Salvage & Recovery, Public Safety Diver Survival, Surface Supplied Air, Underwater Crime Scene Tech II

Duration: 4-6 days (32-48 hours)

Boat Based Operations

This customized program is designed to introduce public safety personnel to the skills required to safely operate department watercraft for diving, water rescue and search operations. We customize this program to insure that students receive training specific to their particular vessels and accessories.

Program topics include: Overview of Common Boats for Public Safety Diving, Accessory Equipment, Principles of Anchoring, Diver Deployment and Recovery, Victim Recovery, Sweep Search Patterns, Circular Search Patterns

Duration: 3 days (24 hours)



Current Diving

By learning to use specialized equipment and proven search techniques, your team will be prepared to safely complete complex, challenging and potentially dangerous current diving operations. You will learn anchoring and high line techniques to better prepare your team for various incident scenarios. This course is taught in a classroom, a pool and an open-water site allowing students to practice their new skills in a safe environment prior to the mandatory field scenario work.

Program topics include: Hydrology and dynamics of moving water, scene evaluation, self-rescue techniques, hazard assessment, high probability search areas, search patterns and post-operative rescuer recovery

Duration: 3 days (24 hours)



Dry Suit Diving

Without the proper protection from your potentially hazardous diving environment, your rescue/recovery operation may be hindered or even worse, halted. One of the first steps to preparing for contaminated water or ice diving is learning how to dive in a dry suit. This program is conducted in a classroom, pool and at an open-water site to allow students to practice their new skills in a controlled environment before the field scenarios. Full encapsulation including a dry suit is recommended by the NFPA. Maximize the safety and comfort of your divers' with dry suit Diving.

Program topics include: History, suit types, accessories, sizing, custom adjustments, emergency procedures, repairs and maintenance

Duration: 2 days (16 hours)

Evidence Recovery Operations

The Evidence Recovery Operations Specialist is specially trained in more advanced search and recovery techniques. Students will learn how to deal with crime scenes and the difficult task of evidence preservation. This program introduces students to advanced search patterns, evidence collection, crime scene equipment and management.

Program topics include: Advanced Search Patterns, Use of Underwater Metal Detectors, Crime Scene Photography and Videography

Duration: 2 days (16 hours)

Haz-Mat Diving



Contaminated water causes additional hazards and could possibly even stop your rescue/recovery operations. Almost all water is contaminated. Your team needs to be able to recognize, identify and operate in polluted water. During this program your team members will learn to operate in a cost-effective and proactive manner. This course is taught in a classroom, a pool and an open-water site allowing students to practice their new skills in a safe environment prior to the mandatory field scenario work.

Program topics include: Recognizing potential contaminants and hazards, medical considerations, operational planning, equipment selection and maintenance, considerations for diving systems, special diving techniques, protection for surface and decontamination personnel and decontamination procedures for diving personnel and equipment

Duration: 3 days (24 hours)

Ice Diving Operations

Physically, mentally and logistically, ice diving operations can be very challenging. Without proper education this overhead diving environment can be extremely dangerous. By learning how to plan and implement an ice diving operation your team can safely conduct ice diving operations. Proper equipment and maintenance are also emphasized in this intense three-day program. Students should be prepared for multiple operational planning sessions and dives under the ice. Surface support personnel are critical to the success of any operation, but they are especially vital in this type of scenario. This program is conducted in a classroom, pool and at an open-water site to allow students to practice their new skills in a controlled environment before the field scenarios.

Program topics include: Equipment selection, full face mask maintenance and application, protocols, rescue vs. recovery mode, boat vs. ice-based operations, emergency procedures and tethered diving techniques

Duration: 3 days (24 hours)

Light Salvage and Recovery

Take your dive team to a more advanced level of service. By teaching your dive members to complete safe salvage operations, you can offer an environmentally conscious service to your community. Students should be prepared to make several lifts using various techniques. The focus of the program will be conducting salvage operations as they apply to underwater crime scenes and investigations. The techniques taught in this program can be applied to the salvage or recovery of boats, automobiles and aircraft. This program is conducted in a classroom, pool and at an open-water site to allow students to practice their new skills in a controlled environment before the field scenarios.

Program topics include: Scene evaluation, operational organization, lifting equipment, underwater rigging and specialized lifting techniques

Duration: 3 days (24 hours)





Public Safety Diver Survival

Prepare to survive your next life threatening diving situation by inoculating yourself against panic and stress. This program is designed to improve and elicit automatic responses in survival situations. Participants will learn techniques to minimize the negative effects of emotional and physiological stress based on research of public safety scuba injuries and deaths over several decades.

Program topics include: Classify the causes and, characteristics of diver stress, identify pre-dive and dive stress, conceptualize the behavioral and psychological signs of stress, define the stages of stress, recognize factors leading to panic, relate the coping styles for panic

Duration: 2 days (16 hours)



Special Marine Operations - Hull Search

Learn to locate contraband, explosives and detect terrorist activities. This course will train divers to safely conduct pier and hull searches on vessels currently in commercial ports and inland waterways. This program is conducted in a classroom, pool and at an open-water site to allow students to practice their new skills in a controlled environment before the field scenarios. This is an extremely hazardous endeavor and should only be attempted by highly trained individuals. Host agencies are responsible for securing access and permission to search a ship during this training.

Program topics include: Legal requirements to conduct searches, contaminated waters, pier searches, hull searches, narcotics concealment, explosives recognition and other operational tactics to deal with possible terrorist activities

Duration: 3 days (24 hours)

Surface Supplied Air

If your team is only trained on self-contained breathing apparatus, you are probably significantly hindered in your ability to carry out rescue and/or recovery missions in polluted or deep water. Increase your team's ability to respond to more advanced dive operations by learning to safely conduct surface-supplied air missions. Surface-supplied air diving will allow you to extend the time and depth of dives and provide sufficient air to thoroughly complete decontamination and decompression protocols. This program is conducted in a classroom, pool and at an open-water site to allow students to practice their new skills in a controlled environment before the field scenarios.

Program topics include: Surface-supplied systems, selecting masks or helmets, tethered diving, communications systems and emergency procedures

Duration: 3 days (24 hours)



Underwater Crime Scene Technician I

Equivalent to the Dive Rescue I program, Underwater Crime Scene Technician I is dedicated entirely to recovery operations. Rescue topics will not be covered. Fundamentals of public safety diving and crime scene preservation will be taught in detail. Like Dive Rescue I, this program is a prerequisite for many of our advanced and trainer level programs. This program is conducted in a classroom, pool and at an open-water site to allow students to practice their new skills in a controlled environment before the field scenarios.

Program topics include: Scene evaluation, search patterns, documentation, evidence processing, accident scene investigation, photography and specialized equipment

Duration: 3 days (24 hours)

Underwater Crime Scene Technician II

Due to the sensitive information presented in this program, it is only available to law enforcement personnel or persons sanctioned by a law enforcement agency to assist with evidence recovery. Detailed information will be presented regarding crime scene processing, fingerprint recovery, laboratory parameters, photography, videography and advanced search patterns. This program will be taught in a classroom, pool and in open-water. This course deals specifically with body recovery operations and the content is graphic in nature.

Duration: 3 days (24 hours)

All of our instructors are active public safety officers and are knowledgeable about current standards and trends.





Non-Diving Programs

Animal Rescue

When any disaster strikes, evacuation of people along with their animals is now addressed under Federal Law. This course is designed to guide Public Safety professionals and others on how to safely conduct the rescue of animals in the flood disaster waterborne environment. This course fulfills mandatory NIMS / FEMA training requirements.

Program topics include: Animal Rescue In Disasters – Why It Must Happen, Understanding Animal Behavior And The Human / Animal Bond, Animal Rescue Safety Issues, & Operational Methods, Small Animal Rescue Concepts, Large Animal Rescue Concepts, Exotic Animal Rescue Concerns, Use of Animal Transport & Control Equipment, Basic Animal Medical Assessment and Field First Aid

Duration: 1 Day (8 hours)

Dry Suit Repair

Students in this class will discuss how to maintain and repair minor tears, punctures, and holes in vulcanized rubber and trilaminate dry suits. There will be a demonstration of wrist ring, cuff seal, neck seal, and hood installation. Leak testing procedures will also be addressed. Glue and patch materials will be provided for training use during the class. Students are encouraged to bring their own dry suits to class for repair and testing.

Program topics include: Maintenance, Repair of leaks from tears, punctures, torn or worn seals, and zippers, Testing for leaks, Replacing neck seals, Replacing hoods, Replacing wrist seals

Duration: 1 Day (8 Hours)

Floods and Moving Water

Floods are one of the leading causes of loss of life and property throughout the world. In recent years this type of natural disaster is becoming a more common scenario and communities are demanding their rescue providers be prepared. Due to the potentially enormous scope of a flooding incident, planning is critical to your team's success. Floods can vary in duration and intensity, but many of the concepts for conducting rescue and recovery operations are similar.

Program topics include: Rescue and survival tactics, rescuer safety, identifying potential dangers, equipment for yourself and your team, hydrology, dynamics of moving water, site survey, rope tactics, boat-based techniques, rigging systems, low-head dams and risk/benefit analysis


Duration: 3 days (24 hours)

Ice Rescue

All public safety personnel should know how to respond and carry out a surface ice rescue. As a public safety officer, you may be the first responder to an ice emergency – are you prepared? Learn how you can avoid becoming victim, how to recognize ice hazards and how to evaluate ice strength. This two-day program will allow you to practice multiple ice rescues with victims who have fallen through the ice.

Program topics include: Elements of an ice rescue, ice conditions, ice formation, victim assessment, hypothermia, cold-water near-drowning, personnel, equipment selection, equipment techniques, developing an operational plan, scene evaluation

Duration: 2 days (16 hours)



Interspiro Technician

The technicians who complete this training program will be certified by Interspiro to perform annual service and field maintenance on their Divator MK II full face masks. This course is designed to give you the tools to repair, maintain, and complete annual service on your department's Interspiro Divator MK II (AGA) full face masks. With this training, your department could not only save on the cost of repairs but also reduce the amount of downtime for your mask.

Program topics include: Communication modules, parts inspection, repair, and replacement, troubleshooting, adjustment, safety pressure vs. demand valve and converting from demand to safety pressure, testing with the Interspiro Mini Test Kit, annual service, Ambient Breathing Valve (ABV) / Hatch maintenance

Duration: 1 day (8 hours)

Med Dive

Keep your dive team healthy and safe through prevention. Learn to recognize potentially life-threatening signs and symptoms associated with scuba diving. This program includes numerous hands-on practical sessions. The Med Dive manual is included in the cost of this program and makes an excellent diving resource for your team.

Program topics include: Pulmonary barotrauma, medical evaluation of divers, monitoring divers, conducting neurological exams, decompression sickness, oxygen administration and field stabilization of compressed gas injuries

Duration: 2 1/2 days (20 hours)



Shore Responder

The Shore Responder can be any member of your department. A patrol officer or fire fighter often is first on the scene, gathering information from witnesses for divers and helping prepare the dive team for a safe mission is critical. Certified Shore Responders facilitate efforts among various responding public safety agencies while maintaining a safe scene for the duration of the incident. This valuable team member is a necessary component of every successful dive mission.

Program topics include: Assembling scuba equipment, dressing and preparing divers, introduction to decompression tables, search pattern fundamentals, basic scene evaluation and sketching, establishing a last-seen point, and witness interviews

Duration: 2 days (16 hours)

Swiftwater Rescue I

Whether your community's river is wide and smooth flowing or narrow and rapid packed, the principles of rescue are virtually identical. Swiftwater rescue operations are inherently dangerous and with the complications of fast current, low-head dams and/or hidden debris they can become deadly. Prepare for these special hazards by learning how to organize and manage safe swiftwater rescue operations. Participants in this program should be prepared for multiple in-water scenarios.

Program topics include: Hydrology, dynamics of moving water, site survey, hazard identification, protective equipment, rope tactics, boat-based techniques, survival techniques, rigging systems, low-head dams and risk/benefit analysis

Duration: 3 days (24 hours)



Swiftwater Rescue II

This physically demanding program is designed to improve your personal readiness to respond to swiftwater emergency situations. You will build on your basic swiftwater rescue skills to run safe and successful operations. All students are required to have basic swiftwater rescue skills including: excellent swimming skills, operational experience using high-lines and a working knowledge of knots, rigging and mechanical advantage systems. All students should be prepared for multiple challenging in-water scenarios. Specific and detailed information will be provided regarding searching by using coordinated land and water-based teams.

Program topics include: Swimming challenges, swiftwater rescue board drills, identifying high probability search areas, rescue and recovery procedures, body characteristics in moving water, triage exercises, water-bound victim extrication exercises, strainer drills and search strategies and techniques

Duration: 3 days (24 hours)

Underwater Investigator

By using comprehensive tabletop scenarios, this program will prepare you to complete investigations requiring recovery of weapons, bodies, vehicles, aircraft and scuba fatalities. This program was originally designed by retired Corporal Robert G. Teather of the Royal Canadian Mounted Police. His comprehensive book "The Encyclopedia of Underwater Investigations" is included in the price of this program. Actual case examples are used to recreate real-life investigative scenarios. There are graphic depictions of water-related deaths contained in the textbook as well as in the tabletop scenarios. This program is available in a 1 or 3 day format to accommodate your training requirements.

Duration: 1 day (8 hours) or 2 days (16 hours)

Visual Inspection Program

Don't pay outside agencies to inspect and maintain your SCUBA and SCBA cylinders. This program will teach you how to inspect various air cylinders. It is recommended that all scuba cylinders be visually inspected annually when filling at certified air stations. We encourage you to bring any of your department's cylinders regardless of condition for this hands-on program.

Duration: 1 day (8 hours)



Water Operations Officer Development

This course takes incident command principles and applies them to large and small-scale water rescue scenes. Students participate in incident command scenarios and make risk management decisions. Through practice during scenario execution and discussion, students prepare for incidents of various magnitudes where the local NIMS-based ICS may transition to Unified Command.

Program topics include: Utilizing the Incident Management System for water rescue, performing incident assessment at a simulated emergency situation, creating written incident objectives for a water emergency event, listing strategic and tactical considerations for various emergency water situations, determining management position requirements for water rescue events, demonstrating the expansion and contraction of the Incident Management System to meet the needs of the incident, discussing tactics for large and small-scale events, demonstrating resource deployment, personnel accountability, logistics management, and implementation of tactics at a simulated rescue event, performing risk management activities

Duration: 2 days (16 hours)



Trainer Programs

Dive Rescue I Trainer

This program is designed for the department trainer, who through experience and education, is prepared to advance to the prestigious position of a Dive Rescue I Trainer. You already have an extensive knowledge of scuba diving and rescue/recovery operations, now learn how to teach more effectively and confidently. Completion of this program allows graduates to teach the Dive Rescue I program to members of their own department. The Dive Rescue I program teaches the fundamentals of dive team operations. This is an excellent opportunity to standardize training throughout your department in a cost-effective manner. In order to teach the Dive Rescue I program, student kits must be purchased. This program requires an application prior to registration.

Program topics include: Trainer methods, field training, drowning, dive team organization and management, search patterns, scene evaluation, victim retrieval, service to the family, media and other agencies, vehicle accidents, underwater investigation

Duration: 5 days (60 hours) This program also requires a significant pre-course study commitment. The average preparation time is 60 hours.

Dry Suit Diving Trainer

The Dry suit Diving Trainer course is designed to extend the knowledge of current Public Safety Scuba Instructors and Dive Rescue I Trainers. Successful candidates will return to their department with a complete training system to be used with the Dry suit Student Kits purchased from Dive Rescue International. This program will allow the Trainer to teach Dry suit Diving to in-house personnel at a minimal cost. This program requires an application prior to registration.

Program topics include: Teaching adults, evaluating students, cold water physiology, emergency procedures and techniques of dry suit diving, types, styles, features, selection, care, maintenance and minor repairs, why and how dry suits leak and dive equipment system integration

Duration: 3 days (24 hours)

Ice Diving Operations Trainer

The Ice Diving Operations Trainer Program is uniquely designed for public safety personnel. This course presents ice diving operations training in a practical and efficient system, giving Trainers the tools to build a competent and safe team. Successful Ice Diving Operations Trainer graduates will return to their departments with a complete training system. With the purchase of student kits from Dive Rescue International, Trainers will be able to conduct in-house ice diving operations training for departmental personnel.

Duration: 3 days (24 hours)

Ice Rescue Trainer

Prepare your department for surface ice rescues by sending a member of your staff to become a certified Dive Rescue International Ice Rescue Trainer. By having an Ice Rescue Trainer on your staff, you can train your personnel on your schedule and for a minimal cost. After successfully completing this program, graduates can order Ice Rescue Student kits to conduct in-house programs for all department personnel. This is a surface rescue program only; there will be no diving. This program requires an application prior to registration.

Program topics include: Instructor methods, field training, Elements of an ice rescue, ice conditions, ice formation, victim assessment, hypothermia, cold-water near-drowning, personnel, equipment selection, equipment techniques, developing an operational plan, scene evaluation

Duration: 3 days (24 hours)

Public Safety Scuba Instructor

Our most physically demanding and study intensive program. This unique program is designed to help dive teams develop certified Public Safety Divers (PSD) cost effectively. By sending one of your team's most experienced divers through this program, your department's Public Safety Scuba Instructor (PSSI) will be able to standardize non-divers and open-water divers as PSDs. A PSD certification combines the fundamentals taught in an open-water class with an emphasis on the exacting skills required to successfully dive in a rescue/recovery operation. Both the Public Safety Scuba Instructor and Public Safety Diver programs meet or exceed all the requirements set forth by the Recreational Scuba Training Council. After completion of the PSSI program, graduates may purchase PSD student kits to train members of their own department as PSDs. This program requires an application prior to registration.

Program topics include: Instructor methods, field training, surface swimming/snorkeling, scuba diving, using the scuba equipment, adapting the body to water and pressure, depth, time and the diver, the aquatic environment, the dive operation, pool and open water sessions.

Duration: 5 days (60 hours) This program also requires a significant pre-course study commitment. The average preparation time is 60 hours.

Swiftwater Rescue Trainer

This program is designed to give trainers a practical and efficient system to build competent and safe swiftwater rescue teams. Successful trainers will return to their department with a complete training system to be used with the student kits purchased from Dive Rescue International. This program will allow the Swiftwater Rescue Trainer to teach the Swiftwater I and II programs to in-house personnel at a minimal cost. This program requires an application prior to registration.

Program topics include: Teaching adults, preparing a presentation, evaluating students, site preparation, hazard identification, equipment, advanced search techniques and conducting simultaneous land and water searches.

Duration: 5 days (60 hours) This program also requires a significant pre-course study commitment. The average preparation time is 30 hours.

Equipment

Dive Rescue International is committed to providing equipment for all public safety professionals involved in aquatic incidents. Many of our products were designed and developed by Dive Rescue International to meet the requirements of public safety aquatic professionals.



Training Programs

Dive Rescue International has been the leading training agency for water rescue, recovery and investigative professionals since 1977. We offer a variety of training programs including: Public Safety Diver, Dive Rescue I & II, Boat Based Operations, Current Diving, Dry Suit Diving, Haz Mat Diving, Hull Search, Ice Diving, Light Salvage & Recovery, Public Safety Diver Survival, Surface Supplied Air, Underwater Crime Scene Technician I & II, Floods and Moving Water, Ice Rescue, Interspiro Technician, Med Dive, Swiftwater Rescue I & II, Underwater Investigator, Water Operations Officer Development, Dive Rescue I Trainer, Dry Suit Diving Trainer, Ice Rescue Trainer, Swiftwater Rescue Trainer and Public Safety Scuba Instructor.


Please visit the Training page of our website for a calendar of scheduled classes or contact us to find out how to become a host for one of these programs.



Training Catalog

Repair Services

Dive Rescue is dedicated to providing quality repairs and service for your organization. We specialize in Public Safety Water Rescue Equipment including but not limited to: Full Face Masks, Dry Suits, Ice Rescue Suits, and Underwater Communications.



IADRS

Dive Rescue International is a proud sponsor of the International Association of Dive Rescue Specialists. The International Association of Dive Rescue Specialists is a non-profit organization for the water rescue and recovery professional. To become part of the IADRS is to forge an indispensable link between yourself and others solving the same problems you face everyday. Think of what you know, what you have learned. You aren't alone. All over the world, we do everything we can to save lives. For the past twenty years we've joined together to pool our combined experience and knowledge. Our shared expertise, ideas and resources are tremendous. Join us and bridge the communication gap by becoming a part of our international information, communication and education network of water rescue professionals. For more information please visit www.IADRS.org





Dive Rescue International, Inc.
201 North Link Lane
Fort Collins, CO 80524
(800) 248-3483
info@DiveRescueIntl.com
www.DiveRescueIntl.com

October, 2013
\$5.95

